



National Defense Industrial Association  
Integrated Program Management Division

---

# An Industry Practice Guide for Agile on Earned Value Management Programs

May 26, 2019

Version 1.3

National Defense Industrial Association (NDIA)  
2101 Wilson Blvd., Suite 700  
Arlington, VA 22201  
(703) 522-1820  
Fax (703) 522-1885  
[www.ndia.org](http://www.ndia.org)

© 2019 National Defense Industrial Association, Integrated Program Management Division (IPMD)

Permission to copy and distribute this document is hereby granted provided this notice is retained on all copies, copies are not altered, and the NDIA IPMD is credited when the material is used to form other copyrighted documents.

## Table of Contents

Introduction: EVM for Agile Programs .....	3
1 Agile Program Planning .....	5
1.1 Product Planning .....	5
1.2 Release Planning.....	5
1.3 Sprint Planning .....	6
1.4 Agile Product and Time Hierarchy.....	7
2 Agile EVM Performance Measurement Baseline (PMB).....	8
2.1 The Work Breakdown Structure (WBS).....	8
2.2 Integrated Master Plan (IMP).....	10
2.3 Integrated Master Schedule (IMS) .....	12
2.4 PMB to Agile Hierarchy Alignment .....	15
3 Structures for Performance Metrics.....	16
3.1 Control Account Plan .....	16
3.2 Aligning Agile Progress Metrics with Earned Value Reporting Levels .....	16
3.3 Computing & Reporting Earned Value Performance .....	18
3.4 When Do You Take Credit for A Story?.....	19
3.5 Feature Cost/Risk to be Considered When Establishing Baseline.....	19
3.6 Variance from the Baseline: Examples with Agile EVM.....	20
3.7 How to Use Agile Metrics to Support Forecasting ETC/EAC .....	20
4 Managing Baseline Change on Agile Programs .....	22
4.1 Baseline Change Parameters .....	22
4.2 Baseline Assumptions.....	22
4.3 Baseline Change Scenarios.....	23
4.4 Forecast Change Scenarios.....	25
4.5 Agile/EV Recommendations .....	27
5 Contracting for Agile and EVM .....	28
5.1 Defining the Agile Process.....	28
5.2 Successful Agile Contracting .....	28
5.3 Agile and EVM Solicitation Considerations .....	31
5.4 Clauses and Agency Policy Citations.....	33
5.5 Contractual Change in an Agile and EVM Environment .....	35
5.6 Systems Engineering Technical Reviews (SETR).....	37
Appendix A - Agile Data Dictionary .....	41
Appendix B - Examples of Agile EVM Progress Tracking Charts .....	44
Appendix C - References .....	48
Appendix D - Product Roadmap, Release Planning, and Rolling Wave Planning Products.....	50
Product Planning: Product Backlog and Product Roadmap.....	50
Release Planning: Cadence Release Plan.....	50
Aligning the Release Planning Results with the EVMS PMB .....	53

Context and Role of the Product Roadmap, Relationship to the IMS.....	53
Appendix E – IBR Considerations .....	55
Appendix F – Request for Proposal (RFP) Content.....	60
Appendix G – Using Agile Metrics to Support Analysis and Forecasting .....	63
Appendix H – Agile/EV Guide Contributors .....	69
Appendix I – Unique Acronyms Used in this Guide .....	70

## Introduction: EVM for Agile Programs

The growing importance of quickly and affordably delivering software intensive systems requires programs to swiftly react to changing demands of the operational environment and has led to an increased focus on capability-based planning and iterative product development. Capability-based planning and execution focuses on delivering the highest priority system Features to the stakeholders as quickly and affordably as possible. To meet this demand, Program Managers need a planning and execution method that can quickly and efficiently react to changes across all levels of the program.

Agile has emerged as the leading industry software development methodology and has seen growing adoption across the DoD and other federal agencies. Agile implements the needed method by focusing on small, frequent capability releases, working software through demonstration of capabilities, responding rapidly to changes in operations, technology, and budgets, and actively involving users throughout development to ensure high operational value.<sup>1</sup>

While Agile concepts have been applied more often to software development efforts, these methodologies and the EVM implementation described herein is applicable to a wide range of development and production activities.

The demand for responsiveness and efficiency extends to all aspects of system development and delivery, starting with negotiation of the contract, applicable Contract Data Requirements Lists (CDRLs), and effective implementation of Earned Value Management (EVM). The EVM system must support these changing demands while enabling cost and schedule performance measurement against the Performance Measurement Baseline (PMB). This need creates challenges to applying EVM to Agile development programs. The intent of this Guide is to address these challenges.

Agile development methods provide a disciplined process for defining work and tracking progress of this work. Integrating Agile performance data with the EVM system provides a vertical integrated view of cost, schedule, and scope, from development activities to program performance measures.

This Guide discusses practices drawn from lessons learned by multiple aerospace and defense firms and their software development activities. The content in the guide is organized into the following sections and appendices outlined in the table below.

Agile Guide Section	Description
1. Agile Program Planning	Overview of the Agile planning process and levels. Includes an illustration of the Agile planning levels and their relationship to EVM processes.
2. Agile EVM Performance Measurement Baseline (PMB)	Discusses recommended approach for the Work Breakdown Structure (WBS), Integrated Master Plan (IMP), and Integrated Master Schedule (IMS) for Agile programs. Also discusses freeze period considerations.
3. Structures for Performance Metrics	Discusses best practices to plan and then measure work package earned value performance using Agile progress measures. Also discusses using Agile metrics to forecast the estimate to complete.

<sup>1</sup> Defense Agile Acquisition Guide, Pete Modigliani and Su Chang, Mitre Corporation, March 2014

Agile Guide Section	Description
4. Managing Baseline Change on Agile Programs	Discusses best practices to manage baseline changes on Agile development programs also using EVM. Provides example baseline and forecast change scenarios to illustrate recommended approaches.
5. Contracting for Agile and EVM	Discusses contracting best practices when Agile and EVM apply.
Appendix A – Agile Data Dictionary	Provides Agile terminology definitions.
Appendix B – Examples of Agile EVMS Progress Tracking Charts	Illustrations of charts.
Appendix C – References	A list of Agile and EVM references for more information about the topics in this guide.
Appendix D – Product Roadmap, Release Planning, and Rolling Wave Planning Products	Elaborates on the Product Planning (Section 2.1), Release Planning (Section 2.2), and Integrated Master Schedule (Section 3.3) discussions.
Appendix E – IBR Considerations	Provides a framework for conducting an Integrated Baseline Review on an Agile program.
Appendix F – Agile RFP Language	Sample language to include in RFP for agile development
Appendix G – Using Agile Metrics to Support Analysis and Forecasting	Examples of standard metrics used to track agile information
Appendix H – Agile/EV Guide Contributors	Acknowledgements
Appendix I - Acronyms	Acronyms unique to this guide not found in the NDIA Master Definitions List for IPMD Guides

## 1 Agile Program Planning

Work planning in Agile development is driven by prioritization of business value defined by the customer. This planning process focuses on the functionality or capabilities needed by the customer. Epics or Capabilities, hereafter known as Epics/Capabilities, contain product Features decomposed into User Stories.<sup>2</sup> This decomposition allows for delivery of value to be tracked. The functionality or capabilities needed are listed on the Product Backlog. The Product Roadmap prioritizes the items on the Product Backlog based on business value and dependencies.

### 1.1 Product Planning

Product Planning is a continuous control activity that encompasses the entire product goals of the program and establishes the Product Backlog and Product Roadmap. The Product Backlog is the master list of all functionality at the Epic and Feature level that is desired in the product and any other elements needed to produce the product, even if not in the final product. The Product Roadmap prioritizes the items on the Product Backlog based on business value and dependencies by the Product Owner (PO) and Stakeholders. The Product Roadmap may precede, inform, or supplant the development of an IMP, and informs the top-level plan of the IMS. Due to its architectural significance, product planning may inform structural elements of the program such as the program Work Breakdown Structure (WBS). Product planning is performed throughout the life of the program to refine and update the Product Backlog, refining Epics and Capabilities into Features and User Stories comprising those Epics and is informed through change control practices of the program. Typically, the Product Owner (PO), with Customer representatives, is responsible for managing the product planning activities. Program leadership assigns the PO who may also fill the role of a Control Account Manager (CAM).

### 1.2 Release Planning

Release Planning is the activity most closely related to developing the Integrated Master Schedule, and subsequent Rolling Wave planning represented in the IMS. Release Planning encompasses the product goals for the next increment or time-block of work, typically a 3 to 6 month window of time. During Release Planning the team refines the Product Backlog with its Epics/Capabilities into Features and candidate [Stories](#) that are to be delivered in the next increment of work (Cadence Release) based on customer priority, dependencies, and available capacity. The Product Backlog and Product Roadmap identifying required product functionality are inputs to the Release Plan. Selected Features and their Stories define what the product must do and when the functionality will be delivered within the Release. It is within Release Planning and as part of the Integrated Master Schedule planning that Features are assigned to Work Packages and Planning Packages.

On large-scale programs with multiple Scrum teams, the Release Planning meeting includes coordination of Feature planning among the various POs to achieve a release plan that supports the required product deliveries and overall goals of the program.

The CAM(s) use the output of Release Planning to detail plan the next increment of work or rolling wave within the PMB. Work Packages may align with individual Features or with logical groups of related Features, or - at times - Epics. The budget for each Work Package is allocated

---

<sup>2</sup> For the purposes of this Guide, a general framework of decomposition will be used to include the tiers of Epic/Capabilities, Features, and User Stories. Other decomposition approaches exist, and care should be taken to understand a program's specific lexicon and decomposition approach.

from the authorized budget for the planning package/control account in terms of hours and resources.

### 1.3 Sprint Planning

Sprint Planning is the process whereby Scrum teams commit to the completion of specific Stories within the current timeboxed (fixed time period) Sprint and confirm the criteria for work completion. The Cadence Release duration is expressed as a number of Sprints of equal length, aligning with the start of the first Sprint in the Release and the end of the last Sprint in the Release. Sprint Planning encompasses the product goals for the next Sprint, typically 2 to 4 weeks in duration.

Features selected from the release planning process are decomposed into Stories in preparation for Sprint Execution. These Stories are prioritized by the Product Owner. The Sprint Planning process is completed before any work starts on the Sprint. During this process, Stories are sized and prioritized for implementation during the Sprint. The Scrum team’s list of Stories from that Sprint are placed on the Sprint Backlog. The Scrum Master is responsible for facilitating Sprint Planning.

During each Sprint, as Stories are completed, progress is determined by the completion status of the planned Stories for the Feature assigned to that Work Package. (See [Section 3.0](#) for more information on progress determination.)

The tiered Agile planning levels are shown in Table 1-1. The hierarchy of the Planning Artifacts is described in more detail in Section 2.2. The Work Breakdown Structure, used for Agile programs, is described in more detail in section 2.1.



Planning Level	Planning Frequency	Planning Horizon	Planning Precision	Planning Artifact	EVM Process
Product Planning	Product startup, updates throughout the project	Project Duration	Capabilities, Epics	Product Backlog, Prod. Roadmap	IMP Planning of Epics/ Capabilities to Releases (Cadency and Capability).
Release Planning	Each Cadence Release	Cadence Release	Features / Stories	Product Backlog Updates, Release Plan	IMS Planning of Features to Work and Planning Packages. Networking them to Capabilities and Releases.
Sprint Planning	Each Sprint	Weeks	Stories/Task	Sprint Backlog	Typically below the EVM system level. May inform QBD. Selection of stories during sprint planning guided by the priorities established at release planning.

Table 1-1: Agile planning levels and their relationship to EVM processes.

### 1.4 Agile Product and Time Hierarchy

Figure 1-1 illustrates the two separate hierarchies used in Agile, for Product and for Time. Separate Product and Time hierarchies allow work to be planned by periodically assigning appropriately-sized products into selected Releases or Sprints.




Figure 1-1: Hierarchy of Agile Products and Agile Timeboxed Elements and Relationships illustrates the two hierarchies in Agile: Product, based on WBS, and Time, the rhythm for executing work.

## 2 Agile EVM Performance Measurement Baseline (PMB)

### 2.1 The Work Breakdown Structure (WBS)

The Work Breakdown Structure (WBS) defines the program in terms of hierarchically-related, product-oriented elements. The WBS is a product-oriented family tree (composed of hardware, software, services, data, and facilities) that displays and defines the product to be developed during the acquisition.<sup>[3]</sup> The WBS represents all scope and work being performed on a program, both level of effort (such as program management) and discrete deliverables.

For programs using Agile methodologies, the WBS should align with the Product Backlog. The backlog focuses on completed products that provide measurable customer value implemented in Epics and Capabilities. Agile development Sprints and Cadence Releases are just time-boxes established for executing work and do not represent product and should not appear in the contract WBS.

While there is no single standard template for a WBS, MIL-STD-881D is a common reference used in DoD systems and automated information systems. The WBS outlined in MIL-STD-881D Appendix J is selected to create a template that illustrates the application of Agile development techniques. MIL-STD-881D allows considerable tailoring for specific programs.

There are options for what defines the Agile product beyond the necessary Epics/Capabilities, as described in Table 2-1 for a software product (e.g. Information Systems (IS) / Defense Business Systems (DBS)). Table 2-1 does not attempt to provide a comprehensive picture of the WBS, but instead focuses on the core Agile software products.

---

<sup>3</sup> MIL-STD-881-D 1.5.3

WBS	Task Name	Notes
<b>1</b>	<b>Information Systems (IS)</b>	
<b>1.1</b>	<b>IS Prime Mission Product Release/Increment X</b>	Multiple elements at this level would be appropriate if the customer views major deliveries as independent products and desires a WBS organized around them (e.g., the deliveries are viewed as separate projects). The key point is that elements at this level have no relationship with the Agile cadence “release”.
<b>1.1.1</b>	<b>Custom Applications SW 1..n</b>	
<b>1.1.1.2</b>	<b>Subsystem SW CSCI 1..n</b>	Appropriate if Computer Software Configuration Items (CSCIs) are viewed as key products (with Epics/Capabilities contained within them); may be at L4 or not present at all (as explained below)
<b>1.1.1.2 or 1.1.1.2.1</b>	<b>Agile Epic/Capability 1..n</b>	Would occur at Level 4 or 5. When Epics/Capabilities are the primary organizing method for products then these could be at L4 (preferred). Alternatively, Epics/Capabilities could be viewed as products within CSCIs. Epics/Capabilities are often preferred over CSCIs in the WBS, as Epics/Capabilities are organized around system functionality (value add, end user products) while CSCIs are organized around the internal architectural structure of the system, which doesn't necessarily align directly with usable functionality and customer value.

**Table 2-1: Example WBS, indicating WBS Number, Task Name, and comments on how best to apply in an Agile EVM program.**

Products described by Features and Stories below the Epics/Capabilities will be described in later sections in the context of the IMS and performance management.

Another example WBS shown in Table 2-2, derived from MIL-STD-881D Appendix B on Electronic Systems/Generic Systems, indicates how Agile is incorporated into a program involving both software and hardware development. Again, Table 3-2 does not attempt to provide a comprehensive picture of the WBS; instead it focuses on the core Agile developed products.

WBS	Task Name	Notes
<b>1.0</b>	<b>Electronics System</b>	
<b>1.1</b>	<b>Prime Mission Product</b>	
<b>1.1.1 (L3) and/or</b>	<b>Product 1 . . n</b>	For products that are hardware only or hardware and software combined as the key deliverables.
<b>1.1.1 (L3)</b>	<b>Software Product 1 . . n</b>	For software applications that are viewed as key products/deliverables.
<b>1.1.1.X (L4) and</b>	<b>Agile Epic/Capability 1 . . n</b>	When Epics/Capabilities are the primary organizing method for products then these could be at L3. Epics/Capabilities are often preferred over CSCIs/Subsystems in the WBS, as Epics/Capabilities are organized around system functionality (value add, end user products) while CSCIs/Subsystems are organized around the internal architectural structure of the system, which doesn't necessarily align directly with usable functionality and customer value. Each Capability L4 WBS Includes all systems, and development and integration of each Capability on its own.
<b>1.1.1.Y (L4)</b>	<b>Agile Epic/Capability Systems, Integration and Test</b>	Includes all systems, integration and test activities (in a host environment) associated with PMP Software product (L4). Also includes DO-178/CSCI requirements based testing activities not completed within each Capability defined in 1.1.1.x. (Note: WBS not needed if all effort covered within each 1.1.1.x, or in 1.1.Z (PMP Integration Assembly, Test and Checkout)).
<b>1.1.Z (L3)</b>		PMP integration assembly, test and checkout (e.g. includes system/ARP-4754 verification) of all Products.

Table 2-2: Example WBS, indicating WBS Number, Task Name, and comments on how best to apply in an Agile EVM program.

## 2.2 Integrated Master Plan (IMP)

The Integrated Master Plan (IMP) and Integrated Master Schedule (IMS) are fundamental management tools that are critical to performing effective planning, scheduling and execution of work efforts. The approach to both IMP and IMS may require attention when executing a contract with both Agile and EVM practices and should be considered for tailoring to the project scope document identified in the solicitation. The IMP precedes the IMS and draws from the product-oriented WBS, Statement of Work, Statement of Objectives, and Concept of Operations. In Agile the IMP Program Events can describe Epics/Capabilities of the product defined in these documents. Program Events can include major customer milestones, Capability Releases, and other customer deliveries.

The IMP may be initially developed in conjunction with an Agile Roadmap or the Product Backlog planning activity. The IMP reflects all the major customer milestones and deliveries, showing the order of the capabilities produced by the program. The Product Roadmap and Release Planning is the basis of the Definition of Done (DOD). The DOD equates to IMP's

Significant Accomplishments and Accomplishment Criteria, for each Epic/Capability and their Features. Figure 2-1, Agile IMP Event to EVMS Hierarchies, is an example graphic illustrating how the IMP, EVMS, and Agile elements are vertically and horizontally traceable in a single framework integrating Agile and Earned Value Management.

IMP events that are compatible with Agile programs include planned customer deliveries aligned to customer milestones. Initial delivery of completed work products, and later deliveries, are aligned with key mission milestones. For example, if building a space vehicle system, the control system events include deliveries to support launch, Initial Operational Capability (IOC), and Full Operational Capability (FOC). The IMP events may also include customer demonstration events, e.g., formal demos of an initial flight demonstration.




Figure 2-1: Agile IMP Event to EVMS Hierarchies. In this example, IMP events are equivalent to Customer Releases, with Significant Accomplishments and Accomplishment Criteria representing delivered capabilities delivered in Work Packages where Features are implemented.

### 2.2.1 Agile Events Identified within an IMP

While the FAR may not require something specifically known as a “Critical Design Review” there are other governing DoD Systems Engineering policy instructions that do require specific reviews to assess the maturity of a system (Reference DoDI 5000.02, Operation of the Defense Acquisition System, Enclosure 3, Sec. 7.). These references define a Software Development Life Cycle (SDLC) that currently suggests milestones and each of those milestones has a purpose.

An Agile development contract must consider the purpose of the activities and milestones in the current model and coordinate with your customer to adjust them according to the Agile activities and milestones relative to the product being developed. For example, if the program or contract will do Release Planning, identify if it represents an IMP event or accomplishment that needs to be tracked. Focusing on the Agile approach with appropriate insight into an accomplishment will

enable for teams to identify relevant milestones for elevation. Ensure the comprehensive technical approach is reflected in the IMP.

The IMP hierarchy outlines what will be done to demonstrate the completion of the program including:

- **Define Event:** Logical or product maturity points, consider representing a historical single event by a block of time in the schedule to iterate on maturing the system for a particular demonstration of the evolving architecture (“a CDR season”).
- **Define Accomplishment:** Logical component of the event or product, which demonstrates what specific items will comprise the specific “event”.
- **Define Criteria:** Logical smaller segments of effort demonstrating how specific accomplishments will be completed.

If the entire contract is for agile development and related functions only, it may be possible to remove the IMP as a CDRL and replace it with the Product Increment Roadmap, assuming that the roadmap represents the comprehensive technical approach.

### 2.2.2 Agile Project Nuances for IMP Application

Specific project scope relative to the government’s broader programmatic effort may need to be considered in the IMP. Items for consideration include:

- Is there a formal IMP requirement that the government is tracking? Which piece of the larger effort is your contract supporting? Review the SOO for IMP structure and content requirement. Coordinate with government counterparts to understand how each piece fits. The recommendation is to utilize the IMP concepts in a logical way to support reporting insight.
- For systems to be deployed, DoDI 5000.02 requires multiple gates leading to the final Full Deployment Decision (FDD). Understand where your program is within the system development lifecycle for DoD efforts and negotiate with your customer the appropriate events and corresponding accomplishments needed in order for the deployment decision to be made. Refer to section 5.6 for information on adapting milestone reviews on Agile programs.
- The Product Increment Roadmap is part of the IMP, but, not necessarily the entire IMP, as the entire IMP / IMS represents all scope, even non-development scope, from contract award to contract completion. If you are attempting to elevate or substitute a project IMP with a Product Increment Roadmap, you will need to review and ensure that appropriate scope coverage, across all areas, exists and allows for effective visibility into the required events and accomplishments.

## 2.3 Integrated Master Schedule (IMS)

Epics/Capabilities are decomposed into Feature and [Story](#) entities. An Epic/Capability delivers one or more Features and a Feature delivers one or more Stories. On larger programs, one or more “sub-Epics” may exist between Epics and Features to manage the product decomposition to usable sizes, hence the chosen term in this Guide of Epic/Capability. Features are sized to fit within Agile Cadence Releases and represent significant pieces of the delivered product. Features should be the lowest level of an IMS, provided that there are no logic dependencies necessary for management control at a lower level. If there is a need to track a subordinate level of detail, then the Feature scope must be defined at a lower level of detail so that the desired level of tracking and IMS logic is supported. Stories serve as the implementation details

of the Feature and are more efficiently maintained by Scrum teams outside the IMS in an Agile development tool.

At program start, an initial Product Roadmap with work product functionality will be created showing a plan for Epic/Capability and Feature development across the Cadence Releases, considering architectural and product dependencies as well as customer milestones. The IMS content, Features and their associated start/end dates and dependencies, will be finalized through Rolling Wave planning, prior to the start of the execution of the associated Cadence Release. Figure 2-2 shows a Rolling Wave Planning process in the IMS with Cadence Release 1 planned, while the content for the next Cadence Releases still contained in Planning Packages remains to be refined in subsequent Rolling Waves.




Figure 2-2: Illustration of Rolling Wave Planning in an IMS

Stories implement the Features in the IMS. Stories are linked to Features in the Agile management tool. Features are traceable to work packages in the IMS by including an IMS reference (e.g. work package ID) as an attribute of the Feature. This traceability provides the needed visibility to Program Management from the BCWS to *objectively assess accomplishments at the work performance level* in accordance with EIA-748-D, Page 1.

Features may be longer in duration compared to programs not using the Agile methodology; this is suitable if the task reflects the work, possesses accurate network logic, and is backed up by Agile-based QBD. Completion of User Stories created to implement the Feature scope of effort is a recommended method for assessing credit, by dividing total completed Stories by total planned Stories for that Feature. Specifically, full credit is taken upon Story completion (100%) to mark progress towards Feature completion. Other methods for claiming progress of completed scope of effort are outlined in Section 3.3.

Example IMS tasks and subtasks are shown in Figure 2-3 below. These correspond to CAs and Work Packages. Work Packages align with a single Feature or group of related Features. Figure

2-3, an example of an IMS subset, is based on the example WBS in Table 2-1. It shows part of a program with Cadence Releases of 85 working days. Two Epic/Capabilities are developed, each requiring three Features that would each trace to a Work Package, plus Planning Packages assigned to future Cadence Releases. The Cadence Release milestone is a fixed date as it is timeboxed, and has no defined dependencies with the product IMS tasks.




Figure 2-3: Example of an IMS subset, based on the WBS example in Table 2-1.<sup>4</sup>

IMS considerations drawing from the IMS example in Figure 2-3:

- Networking between Work Packages shows dependencies across product Features. In Figure 2-3, the Architectural Feature of level 1.1.1.2.2 for a *Database platform infrastructure* must complete before the Feature of *Database accessible by GUI*, level 1.1.1.2.3, can be started. Other dependencies include test equipment, power supplies, hardware, or simulation software, as well as dependencies between the to-be-developed products. The cross-functional Agile teams should minimize dependencies/handoffs between teams based on disciplines (e.g., systems engineering, development, and test). To the extent that product level dependencies still exist, they must be modeled in the IMS to establish a critical path.
- The IMS is baselined prior to any work for the Cadence Release content being started. Release Planning in the IMS defines where the IMS is synced with the Agile plan, prior to execution of the work.
- IMS progress is informed by Agile progress tracking reports through burn-up or burn-down reports. See Appendix G, Using Agile Metrics, for more details.

<sup>4</sup> Note that Figure 2-3 utilizes MIL-STD-881 Rev. D, whereas Table 2-1 reflects MIL-STD-881 Rev. C.

- In the IMS, work or planning package tasks can span the duration of a Release given no significant inter-CAM handoffs or major Feature-to-Feature dependencies will be modelled.

## 2.4 PMB to Agile Hierarchy Alignment

Figure 2-4 illustrates a typical, not mandatory, EVMS to Agile Hierarchy alignment. The figure illustrates that traceability between the EVMS and Agile hierarchies is defined and maintained throughout the program, aligning Scope and Budget via assigning sized Agile Products to CA, WP and PP within the EVMS. Sizing of Agile Products is based on complexity of effort and is calibrated to equate to resources planned for each product. See Section 5 for more detail and an illustration of how scope/budget alignment is maintained within both hierarchies.




Figure 2-4: Typical alignment of EVMS to the Agile Hierarchy, however, depending on program size and system description, other alignments have been observed in industry also. Note that traceability both within and between each hierarchy has been defined at program start at the CA/Epic/Capability and WP/PP levels, and for more detailed levels, at successive Cadence Release Planning/Rolling Wave Planning and Sprint Planning activities. What is most important, as illustrated by the black dashed line, is that there is a clear line established above which earned value is maintained, and below which Agile methods are preserved that provide Quantifiable Backup Data to support appropriate progress assessment.

### 3 Structures for Performance Metrics

This section describes current best practices in industry in how to plan and then measure program earned value performance in Work Packages and CAs, using Agile progress measures.

#### 3.1 Control Account Plan

For purposes of this process illustration, Control Account (CA) scope corresponds to Epics/Capabilities and their Features of the system. The specific technical scope and schedule of each CA is based on the system Epic/Capability decomposition into Work Packages and Planning Packages containing the Features needed to deliver those Epics/Capabilities. The schedule for delivery of system functions results from the planned Release of working software, the span of control desired by program leadership, and other similar considerations. Thus, CA durations may vary from one to many Cadence Releases. However, it is recommended that CA scope correspond to a single Epic/Capability.

WPs are an element of control within CAs. The number, content, size, and duration of Work Packages needed in a CA will vary subject to internal management needs and organizational policies along with the size and complexity of the program. A work package is the point where work is planned, progress is measured, and earned value is assessed. It is recommended to align one Feature or at most a small set of logically related Features with a Work Package.

On Agile programs, the Work Package scope and budget corresponds to Features of the system. The budget for the Work Package is determined by the estimated effort to complete the work scope in terms of hours and resources in relation to and within the parameters of the budget authorized to the control account. A single Work Package corresponds to one or more Features and the Period of Performance may span the Cadence Release duration or only a part of it. While a WP may contain multiple Features, each Feature should be entirely contained within a single WP. Whether a WP contains a single or multiple Features, there should be a logical relationship between Features and Epics/Capabilities and to Releases (either Capability or Cadence) with the program's WBS, Control Account and Work Package structure. As an example, Figure 2-5's IMS shows two Agile CAs – 1.1.1.2 and 1.1.1.3. The 1.1.1.2 CA, *Data Dashboard read/write*, contains Work Packages that each align to a Feature, such as 1.1.1.2.1, *User Graphical User Interface (GUI) to Enter/Report Data*. Epic/Capability milestones align to CAs as well, such as for CA 1.1.1.3, *Usage Protocol/Management*, a Customer Delivery Milestone is scheduled on March 14<sup>th</sup>.

After initial planning, Work Packages are defined during program execution through a series of Rolling Wave or Cadence Release Planning cycles. The Cadence Release Planning period is a fixed duration determined in Product Planning at the start of the program, and each WP should be scheduled to fit within one Agile Cadence Release. For Features beyond the current Agile Cadence Release, the scope may be in Planning Packages, which will be refined during future Release Planning cycles.

#### 3.2 Aligning Agile Progress Metrics with Earned Value Reporting Levels

Figure 3-1 and Figure 3-2 are examples of Agile progress reporting used to status the PMB in the Earned Value Management System. In Figure 3-1, the completion of Agile Stories, with attributed Story Points (relative size estimates) proportional to the effort, determines the completion status (Percent Complete (PC)) for a Feature, which is the lowest reporting level. The Story Points assigned therefore create a weighted Story Value for product completion status calculations.





Figure 3-1: Example of Agile product completion status rolling up into EVM reporting at the Feature level. The Feature is planned to be developed over 3 Sprints, with percent complete calculated using the Feature’s weighted Story values as completed. The Agile Team is working on other Features not shown in this example; points indicate only part of their total workload.

Figure 3-2 shows measures of Percent Complete (PC) at the Capability level which are derived from Percent Complete at the Feature level using PC from the Feature level in Figure 3-1. Individual Feature Completion (PC) will still be determined based on completed Stories (like Figure 3-1); now the Feature PC is used in roll-up reporting to the higher-level item. One or more features are contained in a Work Package; therefore, the Epics/Capabilities, comprising Features, would logically align to CAs.

## Earned Value Measured at the Epic/Capability Level



Percent Complete (PC) for the epic/capability at the end of each release:

- At the end of release 1, epic PC = 18%
- At the end of release 2, epic PC = 64%
- At the end of release 3, epic PC = 100%

Figure 3-2: Example of a higher level of rollup of Agile product completion status to EVM reporting. Features with Work Package level earned value roll up at each Cadence Release to weighted milestones based on Features completed within each Cadence Release.

### 3.3 Computing & Reporting Earned Value Performance

Progress can be calculated for a work package made up of a Feature or Features by tracking the completion of User Stories that are assigned to the feature(s). Agile progress reports showing weighted Stories (using story points) completed divided by total weighted Stories planned for the Feature Work Package can be used for the earned value technique of Percent Complete (PC).<sup>5</sup> See an example of this calculation of Feature level status by giving 100% weighted Story value credit when the Story is completed (shown below in Figure 3-3).

<sup>5</sup> See Appendix C, Reference 6 for additional information on normalizing story points estimated across a program. Care must be taken when attempting to use story point information if not properly normalized and assessed during Release Planning.

Feature 1					
Agile Tool ID	Task Description	Story Points	Story Complete	Completed SP	NWA % Claim
PMG-245	Story #1 Title	2	100%	2	
PMG-246	Story #2 Title	5	0%	0	
PMG-247	Story #3 Title	8	100%	8	
PMG-248	Story #4 Title	5	0%	0	
PMG-249	Story #5 Title	3	0%	0	
Feature 1 Story Points		23		10	<b>43%</b>

Feature PC

Figure 3-3: Example of how planned stories defined to implement Feature 1 Work Package may be applied to create QBD to calculate earned value as a PC. In this example, each story is “weighted” using Story Points (relative size estimates). PC is claimed for each story completed.

### 3.4 When Do You Take Credit for A Story?

In initial adoption of Agile EVM practices, industry adopted several options on when one could claim progress on a Feature Level WP when using Stories as QBD.<sup>6</sup> Due to the misalignment of accounting periods and Sprint cycles, methods included taking partial credit for a Story based on some lower level objective measure of the story itself in order to “normalize” variances. Since inception of this Guide however, industry has moved to the standardized use of claiming progress only when the story is 100% complete as the most objective measurement of credit for the Feature WP. This aligns with the binary nature of the corresponding Agile principle “Working software is the primary measure of progress”.

Another approach used to claim performance is to avoid underlying stories and elevate performance assessment to the Feature level. Doing so enables the capture of progress against incremental steps within an agile process, workflow, or Kanban to provide fidelity for capturing progress against work in progress. This aligns performance reporting against objective architectural elements and completion.

### 3.5 Feature Cost/Risk to be Considered When Establishing Baseline

In Agile development, as well as in any product development, there are always uncertainties. It is recommended that these complexity factors be included in the relative sizing of Epics/Features used when establishing a Work Package cost/schedule baseline for that Feature. Planning should also include the isolation of any reserve capacity or assumptions for defect time. Staff utilization, specifically the assumptions made during original complexity estimation for development focus factor, must also be considered when establishing baseline values. As usual in any earned value managed program, unknown risks may be held at a higher level against Management Reserve for use when in-scope unanticipated work is discovered, and new functionality must be added to complete a product.

<sup>6</sup> As noted in Section 4.3, stories, while a common logical integration point for Agile and EVM are not required for claiming progress. This story-centric method has been provided as a best practice approach.

### 3.6 Variance from the Baseline: Examples with Agile EVM

Variance is a natural consequence of developing complex products and there are cases where the scope achieved took more or less effort than planned. The examples below show how cost and schedule variances could be observed on an Agile program.

Assume that there is a plan to complete a Feature, with planned labor of 400 hours in the associated work. The Feature consists of ten Stories of 2 points weighted Story Value, which translates to estimate weighted value of 40 hours per Story. During the first Sprint, the team plans to complete 4 Stories. This equates to an estimate of 160 hours of labor ( $8/20 * 400$  hours). The following are examples of possible variances after a Sprint:

- Consider the case where a team completes the planned amount of work in a Sprint for the Feature, but took 200 hours rather than the expected 160 hours to complete it. This could result in a cost variance at the Work Package level if the remaining six Stories complete as planned.
- A schedule variance could appear at the Work Package level if the team completed 3 of 4 planned Stories (6 of their planned 8 Story Points) using the hours associated with those Stories, 120 hours, with the remaining Story allocated to a later Sprint.
- During a Sprint, a team discovers a new 2-point Story is necessary to complete a planned Feature, and they decide to add that to the current Sprint. In this case, the extra Story is completed as part of the originally planned 160 labor hours; there is no variance to report into the Work Package: all planned work was completed as planned and on budget, 5 Stories for 10 points in 160 hours.
- During a Sprint, a team discovers a new 2-point Story is necessary to complete a planned Feature, and they decide to add that to the current Sprint. In this case, the extra Story is completed along with the original 4 using 200 total labor hours rather than the planned 160 labor hours. This could result in a cost variance at the Work Package level.
- During a Sprint, a team discovers a new 2-point Story is necessary to complete a planned Feature, and that new Story goes into the Backlog for a future Sprint assignment. The planned 4 Stories of 8 points are completed on schedule within planned hours; however, because of the additional Story in the Backlog, there could be a resultant cost and schedule variance at the Work Package level. It might be necessary to report a lower BCWP based on the added Story in the Story Point total.

In each of these cases an EVM variance could appear at the Work Package level based on QBD calculations for that Feature; in any case Feature performance can be both projected and managed using the Agile work flow. Section 4.3 and 4.4 provide scenarios describing the effects of change and resulting cost and schedule impacts.

### 3.7 How to Use Agile Metrics to Support Forecasting ETC/EAC

The Agile methodology promotes incremental, iterative planning. When establishing the PMB, Planning Packages are typically employed which support this incremental approach. Agile does not advocate detailed planning all the way through to program end, which traditionally enables ETC/EAC forecasting. This avoidance of detailed longer-term planning is based on the principle that it is not possible to do accurately early on given limited data and the likelihood of customer-desired outcomes changing. Yet EAC forecasting is essential in EVM-managed, or any managed program.

For an Agile EVM managed program, a program's entire budget can be plotted out at a summary level via roadmap planning and top-level IMP/IMS. At the roadmap level, Epics/Capabilities and Features are estimated and allocated to Cadence Releases, and a baseline is established. At each Release Planning event, the Planning Package for the next Cadence Release will be detail planned by finalizing the assignment of Features to the Cadence Release and Work Packages that have been initially allocated to the roadmap Epic/Capability plan in the form of Work Packages in the first Cadence Release and Planning Packages in subsequent Cadence Releases. The CAM should assess the complexity of remaining work in the Product Backlog that is aligned to those planning packages and compare it to the budget allocated to support EAC analysis.

On a program employing traditional waterfall development, a Planning Package could be 6 to 12 months in duration or longer, and spans program events. On an Agile program, the Planning Package is typically much shorter in duration, as it aligns with the Cadence Release Duration. In this way, the strong planning rhythm offered by Agile enables Rolling Wave planning in traditional EVM to be taken to a new level of currency and accuracy, supported by Agile planning practices.<sup>7</sup>

Each Sprint, within a Cadence Release, includes work activities for product development. Work performance for deliverables completed in past Sprints and Cadence Releases can be used to generate a team efficiency factor that can support the Feature ETC and EAC. Using the relative size of completed work, compared to future work is known and actual cost and schedule performance against past work is known, predictions can readily be performed for that future work. Note that, as in traditional EVM, changes in estimated work made as the program progresses are not changes in work scope; scope remains the same as described in the program baseline.

The formulas in Appendix B include methods to calculate an estimate to complete and are illustrated below. The formulae express how to calculate progress via PC on a single Feature as weighted Story Values expressed in Story Points (SP) completed versus the total weighted Stories planned, then how to calculate remaining hours of effort for a Feature using planned and completed weighted Stories in SP and hours used per completed Story Point.

$$\text{Feature Percent Complete} = \frac{\text{Total Completed Weighted Stories (in SP)}}{\text{Total Planned Weighted Stories (in SP)}}$$

*Feature Remaining Effort Hours*

$$= (\text{Total Planned SP} - \text{Completed SP}) \times \frac{\text{Total Hours to Date}}{\text{Total Completed SP}}$$

Appendix B provides examples of Agile EVM progress tracking.

<sup>7</sup> See Agile and Earned Value Management: A Program Manager's Desk Guide, OUSD AT&L (PARCA), 16 April 2018 Section 2.d for guidance on developing Rolling Waves.

## 4 Managing Baseline Change on Agile Programs

This section speaks to industry best practices for managing baseline changes on Agile development programs also using Earned Value Management. These best practices represent a knowledge network of Earned Value and Agile practitioners promoting a consolidated view. There are various policies, procedures, processes, and tools within industry and this guide recognizes variability can exist. Below is a set of scenarios and associated guidance that are currently occurring within industry.

### 4.1 Baseline Change Parameters

Here are some baseline change scenarios using Agile development methodology which are also using Earned Value.

- Recognizing there are multiple Agile approaches, this section is based on Scaled Agile Framework® (SAFe®) concepts (See Appendix C, Reference 7), which is widely used in industry today.
- Recognizing that Agile development methodology is in use across a wide variety of programs and companies, this discussion is limited to contracts that would benefit from an EVMS; i.e., contracts that have some level of pre-defined goals or outcomes (requirements) tied to program events or milestones.
- Commercial programs developing product to take to market are not addressed.
- Level of Effort or staff augmentation contracts awarded in support of a government led initiative are not addressed.

### 4.2 Baseline Assumptions

There is Agile terminology and assumptions made in the establishment of a program Performance Measurement Baseline (PMB) for EVMS, used as the basis for the change scenarios in Section 4.3.

The program described here assumes an Agile implementation methodology that includes planning work within recurring timeboxed boundaries such as Sprints and Cadence Releases as described in Section 2.1.

- Agile Product Hierarchy (best practice example):
  - The Agile product hierarchy is made up of Epics that are decomposed into Features, which are sized to be scheduled to complete within a single Cadence Release. Each Feature is further decomposed into Stories, which are sized to complete within one Sprint, as depicted in Section 2.1. Stories are developed and maintained below the level of the EVMS PMB.
- EV Hierarchy and definitions (best practice example):
  - CAs for this program are established at the Epic/Capability (product) level and may span many releases.
  - Work Packages for EVMS are created at the Feature Level. Feature Work Packages represent working product and have documented exit criteria (Definition of Done).
  - Planning Packages represent working product associated with a future release.
  - The Product Backlog documents the technical scope of each CA.

- All items listed on the Product Backlog include rough size complexity estimates (weighted Story Value in Story Points, ideal hours, T-Shirt size (relative sizing method for typically smaller Agile efforts, in S, M, L, XL etc.), other) that are refined over time as knowledge is gained.
- All Items listed on the Product Backlog are traceable to a Work Package or Planning Package in the PMB.
- A Product Roadmap is maintained that represents the prioritized Product Backlog. Epics and Features on the Product Backlog are mapped to specific releases as part of the Product Planning process.
  - Backlog grooming (refining) is a continuous and normal part of Agile management and it is possible that Future Epics and Features may be reprioritized and mapped to different releases based on discovery or user feedback.
- The program does Rolling Wave planning at Cadence Release points. Rolling wave planning occurs after the Release Planning Event. The current release is detail planned and decomposed into “Feature Work Packages” (for Section 5 scenarios assume that there is only one Feature for each Work Package). Budget for future releases remains in Planning Packages.

### 4.3 Baseline Change Scenarios


Baseline Change Scenarios		
Scenario	PMB Action	Product Backlog Action
1. The Work Package/Feature is not open and work has not started. It is determined the Feature is not needed for the current release. (Scenario 4-1 graphic included at end of Section 4.3.)	Baseline Change: Re-plan Work Package to future release. If the baseline start of the Feature is inside the program’s “freeze period”, appropriate control and notification mechanisms apply.	Feature and related stories are mapped to future releases within the Product Backlog.
2. The Work Package/Feature is 30% complete, but did not complete by a formal delivery date. The delivery date is held as planned. The customer accepts the delivery without the Feature functionality.	In most cases, this is not a baseline change. Although the customer accepted the delivery, the original plan was not met. In this case the Feature remains open, showing a schedule variance until the work is completed.	The unfinished Feature's stories are assigned to a future sprint with the next release. The WP identifier remains unchanged.
3. Features for the current Release are re-prioritized. A planned Feature is swapped with a different Feature from the Product Backlog of a similar size that was mapped to a future release. ( <b><i>This is unusual.</i></b> )	Baseline Change: The swap is documented, even if the overall budget and baseline schedule dates do not change. IMS task descriptions and Feature Work Package descriptions/exit criteria are updated as necessary. The IMS is checked to ensure interdependencies remain valid.	Features and related Stories are re-mapped to applicable WP and release PP. WP and PP identifiers are updated. Feature release and Story sprint assignments are updated in the Product Backlog.
4. The Contracting Officer (CO) issues a contract letter which	Baseline Change: The in-progress WP is closed by setting BCWS equal	The unfinished Stories, Features and

Baseline Change Scenarios		
Scenario	PMB Action	Product Backlog Action
removes the scope of an Epic/Capability (requirement). The change affects a Feature which is currently baselined in an open Work Package.	to BCWP. The unclaimed budget associated with the Capability is returned to Undistributed Budget (UB) until dispositioned by contract mod (de-scope).	Epic/Capability are removed from the Product Backlog.
5. The exit criteria for Feature 1 Work Package are updated to add additional functionality (requirements) to that Feature. Stories are created to satisfy the additional requirements. <b>The important consideration here is that the exit criteria of the Feature Work Package have changed.</b>	Baseline Change: The scope of Feature 1 has increased. Budget must be added for that new scope. If this is the result of a customer desired enhancement (new scope) the budget will come from UB. If this is an un-planned in-scope increase, the budget will come from Management Reserve (MR).	The exit criteria for Feature 1 are updated. Stories are created and added to the Product Backlog and mapped to Feature 1.

**Scenario 4-1 Graphics: Example of a Change Modeled in the PMB and Product Backlog**

In scenario 4-1, an unstarted baselined Feature Work Package is not needed for the current release and is rebaselined to a future release. The two figures below depict this scenario. Figure 4-1 shows the current CA baseline, and how it is modeled in the Product Backlog and in the Control Account Plan (CAP). To maintain traceability from the Backlog to the CAP, a common field (the Work Package/PP ID number) is found in both.

- ▶ The backlog includes a coding structure that traces to the CAP. (WP's and PP's)
- ▶ Budgets for Features are allocated based on complexity of the effort
- ▶ The Control Account BAC represents the planned cost for completing the product (EPIC)



**The Product Backlog traces to the Control Account Plan**

Figure 4-1: Product Backlog to Control Account Plan Traceability Example

In the Figure 4-2 below, Feature Y is rebaselined to a future release and the graphic shows how the change is modeled in the Product Backlog and the CAP. The Feature and associated Stories are moved to the next release in the Product Backlog, and the Feature Work Package in the CAP is rebaselined, moving the budget for Feature Y into the Release B time frame. This demonstrates the movement of scope and budget together

**Feature “Y” (Wk Pkg A00Y) rebaselined\* from Release A to Release B**



\* This graphic shows the effect of a schedule rebaseline. In most cases, Wk Pkg A00Y would not be rebaselined and would incur a schedule variance.

Figure 4-2: Product Baseline to Control Account Plan, Changes Traced Example

**4.4 Forecast Change Scenarios**

Forecast Change Scenarios		
Scenario	PMB Action	Product Backlog Action
1. A Feature Work Package that spans 3 Sprints has started. The team determines that some of the Stories mapped to the Feature planned in the first Sprint will not be completed and moves those Stories to the second Sprint which still falls inside the baseline finish date of the Feature.	No change to Feature Work Package baseline budget or baseline schedule. Stories can be moved from Sprint to Sprint within the planned duration of the Feature Work Package without impacting the baseline.	The product Backlog is updated to move the Stories not completed in the first Sprint into the second Sprint.
2. A Feature Work Package that spans 3 Sprints has started. The team determines that some of the Stories mapped to the Feature planned in the first Sprint will not be completed and	No change to Feature Work Package baseline budget or baseline schedule. The in-progress Feature IMS task shows a slip to the forecasted finish date. BCWP is only claimed for the Stories actually	The Product Backlog is updated to move the Stories not completed in the first Sprint into the fourth Sprint.

<p>move those Stories to Sprint 4, which is beyond the baseline finish date of the Feature.</p>	<p>completed. BCWP compared to BCWS identifies a schedule variance. Reflect changes in IMS Forecast, EAC.</p>	
<p>3. A Feature Work Package has started but will not be completed by a formal delivery date. Customer states that the functionality is needed for the formal delivery.</p>	<p>No change to Feature Work Package baseline budget or baseline schedule. The Feature is forecasted to slip beyond the delivery date. The IMS shows a late delivery. Critical Path (float) is impacted. Reflect changes in IMS Forecast, EAC.</p>	<p>The unfinished Stories are moved into the Sprint in the next release cycle where they are forecasted to be completed.</p>
<p>4. The PO and team determine a Story is deemed unnecessary for the accomplishment of the Feature due to an increased understanding of Feature exit criteria (requirements). <b>The Exit Criteria for the Feature has not changed.</b> The Feature WP is in progress. Feature QBD is the Stories mapped to the Feature.</p>	<p>No change to Feature Work Package baseline budget or baseline schedule. Feature QBD is updated to remove the Story. Removal of the Story from QBD may result in an increase in Feature WP percent complete since the percentage of unfinished effort has decreased. Reflect changes in IMS Forecast, EAC.</p>	<p>The Story is removed from the Product Backlog.</p>
<p>5. The PO and team determine a Story needs to be added for the accomplishment of the Feature due to an increased understanding of Feature exit criteria (requirements). <b>The Exit Criteria for the Feature has not changed.</b> The Feature WP is in progress. Feature QBD is the Stories mapped to the Feature.</p>	<p>No change to Feature Work Package baseline budget or baseline schedule. Feature QBD is updated to add the Story. Adding the Story to the QBD may result in a decrease in Feature WP percent complete since the percentage of unfinished effort has increased. Reflect changes in IMS Forecast, EAC.</p>	<p>The Story is added to the Product Backlog and mapped to the Feature. A Feature Work Package identifier is added.</p>
<p>6. After a Feature Work Package and the associated Stories are accepted and claimed 100% complete, a problem is found. The defect is defined as critical and accordingly must be corrected before the functionality can be released. A Defect Report (DR) is written.</p>	<p>a. If a stand-alone Work Package has already been established for critical DRs in the current release, the new DR is added to the QBD for that Work Package.  b. If a separate work package for critical DRs has not been established, it may be appropriate in some cases to reduce BCWP on the Feature Work Package if the work is not truly completed. The Feature QBD percent complete and forecast finish date are adjusted accordingly. Reflect changes in IMS Forecast, EAC.  c. If the DR is truly unplanned – in scope effort, Management Reserve may be applied to the WP.</p>	<p>a. The new DR Story is added to the product Backlog and mapped to the established DR Work Package.  b. The DR Story is added to product Backlog and mapped to the Feature Work Package.  c. The DR Story is added to product Backlog and mapped to the Feature Work Package.</p>

<p>7. Features mapped to future releases are reprioritized based on discovery and user feedback and mapped to other future releases. Budget for future releases is in a Planning Package.</p>	<p>No change to budget or baseline schedule. This is not a baseline change because this work has not been detail planned.  This kind of re-prioritization is expected; however, the roadmap should be analyzed for potential bow-wave (work consistently moving 'to the right' without corresponding work moving forward) and related critical path impacts. If a bow-wave is apparent, a baseline change may be required to adjust the PP monthly budget spread. Reflect changes in IMS Forecast, EAC.</p>	<p>The product Backlog is updated and the Features are mapped to the resulting releases on the release roadmap.</p>
---	---	---

**Scenario 4-2 Forecast Change Scenarios**

**4.5 Agile/EV Recommendations**

- The Contractor should establish a freeze period (Appendix C, Reference 8, Guideline 29) that supports the flexible nature of Agile development. Discovery and change are a normal part of Agile development, and change assessments occur frequently, often at the end of each Sprint. Assuming a Sprint cadence of every 2 weeks, and Rolling Wave planning at 3-month Cadence Release points, the Contractor may want to establish a short freeze period, perhaps a 2-week forward window, or the current Sprint Period of Performance (POP). A traditional freeze period such as “current month plus 1” will greatly limit the program’s ability to respond to change quickly. A Contractor’s freeze period should be defined in a way to support Agile and EV. The freeze period should be adjusted, through formal changes to a company’s System Description or other supplementary guidance, to be short enough that it accommodates the Agile planning cycle. However, while a contractor’s System Description is in the process of being updated to incorporate Agile adaptation for freeze period, the contractor program should document the Agile process used in the interim along with the plan for updating the System Description.
  - A key point is that planning, including detail planning of planning packages, completes prior to the start of work for any of the products in the upcoming Cadence Release. The customer should be highly integrated into the Release Planning process, with ample opportunity to provide input on the plan if there are concerns.
  - For Performance Assessments and Root Cause Analyses (PARCA) guidance on this topic, please see Section 2.e of the Agile and Earned Value Management: A Program Manager’s Desk Guide, OUSD AT&L (PARCA), 16 April 2018.
- The Contractor should establish budgets, or MR reserves, that are inclusive of estimated Defect Report (DR) corrections related to the development effort. When establishing the PMB, some portion of the development effort’s budget is retained for eventual DR work off. This allows for risk reduction and addresses the reality of defect identification during later program phases. Proactive identification of DR budgets or reserved capacity can also be accommodated by including this in assumptions for an Epic's Features.

## 5 Contracting for Agile and EVM

This section discusses contracting best practices for including Agile and EVM disciplines in government contract solicitations. It provides the foundation and background to evolve the approach to contracting for Agile and EVM. The working group recognizes there are various policies, procedures, processes and tools within industry and developed this section understanding that variability exists. We encourage continuous feedback, comments, ideas and suggestions to the working group to continue to promote best practices on this topic.

There are several considerations to be made when entering into a solicitation or contract requiring both an Agile methodology and EVM practices. In some cases, specific clauses are required as well as the recommended use of performance based contracting principles. Traditional artifacts, such as the Integrated Master Plan and System Engineering CDRLs should be approached differently. Managing change with both Agile and EVM requires a mutual understanding of the definition of “change” as applied to the contract scope.

The purpose of including both an Agile development methodology and EVM on a contract is to drive collaboration on the product with a heightened awareness of schedule and cost. EVM is not tied to any specific development methodology and does not prevent the use of other risk management techniques. EVM and agile development are complementary and can be used on the same project. Agile development can be used to incrementally deliver functionality to the customer while EVM provides a standard method for measuring progress. (A-11 Capital Programming Guide (July 2017)).

### 5.1 Defining the Agile Process

An “Agile” product should not be defined by a prescriptive set of requirements as typically seen in government contracting. When Agile is used to create products, not every change equates directly to an Engineering Change Proposal (ECP) or an EVM baseline change. It is critical that all stakeholders of both the buying and the selling entities work together to evolve the final product. Change management at the contract level should be assessed against the final product. The Definition of Done is a key component of defining the Agile product and is critical for both the incremental progress and the final product.

### 5.2 Successful Agile Contracting

The Software Engineering Institute and Carnegie Mellon University published the RFP Patterns and Techniques for Successful Agile Contracting in November 2016, which introduces recommendations for the appropriate incorporation of a scope document in an RFP. Section C of an RFP usually provides the government’s (buyer) requirements and expectations of the contractor’s (seller) performance in the form of a Statement of Objectives (SOO) or Statement of Work (SOW). The SOO reflects a Performance-Based Acquisition (PBA) and is best suited for an Agile acquisition.<sup>8</sup> If a SOO is provided, the government will normally expect the contractor to provide a SOW or a Performance Work Statement (PWS) as part of its proposal.

A government-provided SOW is best suited for a traditional acquisition in which the government has a high degree of confidence in the ability to specify (both qualitatively and quantitatively) the expected approach and product end state. Table 5-1 highlights the differences between a SOO and a SOW.

---

<sup>8</sup> See AcqNotes, Acquisition Process, Performance-Based Acquisition, at <http://acqnotes.com/acqnote/acquisitions/performance-based-acquisitions>

SOO	Factor	SOW
The government understands the objectives but expects the end state to evolve.	Government understanding	The government has a high level of confidence in the end state.
Change is expected to be a significant factor in achieving the end state.	Change	Change is not anticipated, or if encountered will not be disruptive.
This approach provides the offerors trade space and flexibility in developing their proposals. It should probably be used unless the totality of the work effort required is very well understood by the government.	Constraint	Constrains offerors to the specific tasks identified, so must be unambiguous and comprehensive. The government needs to apply specific constraints on the tradeoff space of lifecycle cost, performance, interoperability, logistics/training, etc.

Table 5-1: SOO and SOW Differences

The scope defining document (SOO, SOW, or PWS) should communicate the product required, the quality to standards to be achieved, the required date and any schedule or intermediate deliverable items required. An Agile product is not a pre-defined, prescriptive set of requirements. For the Agile methodology to be effective, the seller, buyer and product owner must work together and such collaboration and flexibility must be documented in the contract and scope control document. It is recommended that the documented requirements are flexible enough to not establish impediments that inhibit the contracting officer to use the right clauses to bound the contract and manage change in execution. A comparison between a SOO, PWS and SOW is contained in Table 5-2.

	SOO	PWS	SOW
Buyer	<ol style="list-style-type: none"> <li>1. Describes requirement stated in outcomes only.</li> <li>2. Does not identify a technical solution to the requirement</li> <li>3. Saves time in developing the solicitation</li> </ol>	<ol style="list-style-type: none"> <li>1. Buyer defines work outcomes and results and a detailed PWS.</li> <li>2. Buyer has more control over what the bidders may propose.</li> <li>3. May describe performance measures and Quality Assurance objectives or request information from bidders.</li> <li>4. Links requirement to agency mission and/or objectives</li> </ol>	<ol style="list-style-type: none"> <li>1. Buyer provides a detailed description of the specific services or tasks the contractor is expected to accomplish the work.</li> <li>2. Buyer has more control over what the bidder may propose.</li> <li>3. Used when requirements are well known and provides significant details regarding exactly “how” the work is to be performed.</li> </ol>
Seller	<ol style="list-style-type: none"> <li>1. Prepares a detailed work plan that serves as the PWS.</li> <li>2. Includes performance measures, and quality assurance objectives &amp; incentives.</li> </ol>	<ol style="list-style-type: none"> <li>1. Prepares a proposal that corresponds closely to work approach as described by the Buyer, but still with a goal of achieving desired outcomes.</li> <li>2. Proposes to meet</li> </ol>	<ol style="list-style-type: none"> <li>1. Prepares a detailed proposal that complies as much as possible with the stated requirements.</li> <li>2. Is usually not free to propose a different solution except as an alternative proposal</li> <li>3. Does not encourage seller innovation.</li> </ol>

	SOO	PWS	SOW
	<p>3. Is free to propose what they believe is the best manner in which to achieve the required outcomes.</p> <p>4. Encourages seller innovation</p>	<p>required quality assurance objectives and/or performance metrics</p> <p>3. Enables assessment of work performance against measurable performance standards</p>	

Table 5-2: SOO/PWS/SOW Comparison

In addition to a SOO with stated objectives, an Agile product can also be described in the performance based contract by using a goal oriented product increment roadmap that identifies the product functionality or epics/capabilities. Recommend that the corresponding metrics, names, dates and goals be associated with the acceptance criteria. There should be enough detail in the stated objectives or road map to describe the complete end product, but not so much detail that it prevents execution of a collaborative Agile method. Collaboration between the buyer, the seller and product owner(s) will ensure the business value described is achieved during contract execution for the end product. As progress is made on accomplishing the objectives, each incremental step of feature development should build on the previous one completed and focus on the end goal or a vision of the project.

If a product increment roadmap is utilized, consider its level of specificity. Target the general product needs and objectives to be described in terms of epics or capabilities, and not user stories. The recommended level is where the buyer - seller team has flexibility to define the user stories within the appropriate planning horizon, update the plan, and revise the final technical implementation without needing to make modifications to the contract or EVM baseline. The Agile process implemented within the projects Agile tool should have specific objectives / targets and sprint schedules for each iteration of the project, including approximate release dates, goals and reasons for creating new releases, features that describe how the goals will be met by acceptance criteria and corresponding metrics. This concept is typically characterized by the theory of preservation of alternatives until the latest possible time.

If an Integrated Master Plan (IMP) is required, the product roadmap should be included in the appropriate section of the IMP. Reflecting the “accomplishment” of the target goals is a natural convergence of the product increment roadmap and the events, accomplishments, and criteria documented in the contract IMP. See Sections 2.2 for further discussions on an Agile IMP.

The contract scope control document should be specific as to the capabilities required, cite the objectives leading to a releasable complete solution and include the Definition of Done. However, it should also allow the team the necessary flexibility to be 'Agile' and determine throughout the development exactly how those broad capabilities will be achieved. The contract narrative should focus on small, frequent capability releases, rapid response to changes in technology, and facilitating an open dialog between the developers and end users to ensure high operational value. Documentation should be kept to a minimum and used for reporting purposes to demonstrate frequent iterations and measure progress of the project. Table 5-3 outlines these factors, with the Agile Manifesto and appropriate contracting discussion.

Factor	Agile Manifesto	Contracting Discussion
Documentation	Working software over comprehensive documentation	Review the CDRLs and update the contract accordingly. Use an “as-built” approach to create the most absolutely necessary documentation required.
Planning	Responding to change over following a plan	Use the product increment roadmap and rolling wave planning together for just in time planning, based on top priorities.
Change Management	Customer collaboration over contract negotiation	In Government Contracting there will be requirements that support a target end product. Use the SOO and constant customer collaboration to manage the requirements matrix.

Table 5-3: Factors, Agile Manifesto and Contracting Discussion.

These steps will reduce program, schedule, and technical risk and will remove waterfall method constraints. Once the software baseline and the conceptual design emerge, the shift to small iterations and teams could streamline agility and bring necessary stakeholders together.

### 5.3 Agile and EVM Solicitation Considerations

There are specific items that may be cited in an Agile and EVM Solicitation. For each solicitation consider the specific agile goals and do not use these items to constrain the agile process. Not all of the items are appropriate for all types of agile execution. Suggestion for consideration include:

#### Definition of Done (DOD)

Include a provision to agree to a Definition of Done (AKA acceptance criteria), such as the produced working software matches the product vision. Recommended to develop this in parallel with negotiations and include as an appendix. The acceptance criteria (Agile) should be consistent with the exit criteria (EVM) of the work packages.

Include a mechanism in the contract to verify this, such as a demo. If not a demo, a documented provision to account for the selling off of requirements to verify the software produced matches the product vision. The demo or sell-off should occur within a reasonable amount of time after the progress is completed, not at the end of the contract.

Elements to consider for the Definition of Done include, and are not limited to: scope of tests to be conducted and passed, code reviews, coding standards, and code has been re-factored where necessary. The Definition of Done can be defined at various levels, for a story, a feature, a sprint and / or a release.

#### Product Owner Responsibilities (Customer Interaction)

Include a provision to address the key responsibilities of the Product Owner, defining customer interaction. Examples include, and are not limited to: the initial development and prioritization of the product backlog, potential co-location with team, ongoing revisions and re-prioritization of the product backlog and participation in relevant Agile ceremonies (planning, review, demo, sell-off). It is recommended that the Product Owner / Customer “Proxy” be included on the Buyer IBR team.

### Development Team Responsibilities

Include a provision to address the key responsibilities of the development team. Examples include, and are not limited to: the team composition and skill set, time commitment (dedicated or not), a specific number of teams for the contract, potential team co-location and the potential for reassignment without buyer permission.

### Iterations

How can the solicitations be approached in more of an iterative way through the use of definitizing options associated with certain incremental objectives established? Modular contracting? Task Orders? Examples include and are not limited to: agreements to run a series of iterations, plan and implement each iteration according to a preselected methodology, require written minutes as output from planning sessions, and synchronize Agile Release Planning with EVM Rolling Wave Planning.

### Planning

Does the contract need to include a provision for formal planning? Examples include, and are not limited to: key roles defined, SOW includes product vision and outcomes, high priority items identified in the contraction, process for prioritization / re-prioritization / equivalency swaps, expectations for meeting attendance, and synchronize Agile Release Planning with EVM Rolling Wave Planning.

### Reporting

Include a provision for how reporting, including metrics and performance measures will be different. The Agile metrics and EVM data should report a consistent story. Examples include, and are not limited to: working software, modified Software Development / Enterprise Performance Life Cycles, test plans per sprint, sprint burn down charts, product backlogs, epic and release burndown and velocity.

### Testing

Does the contract need to include specific testing provisions? Examples include, and are not limited to: multiple testing subcontractors, outsourcing impact to quality, outsourcing impact to team, success metrics defined, integration of outsourced effort, and accounting for the cost of technical subcontract management.

### Fixed Price versus Cost Plus

Agile and EVM can be implemented under both Cost type and Fixed price type contracts. While a cost type contract can allow more flexibility, Buyers often feel that they are not able to control program costs given an open-ended contract with only desired outcomes. Using a modular or incremental approach can be an effective scope and cost control mechanism. Under an Agile and EVM Fixed price contract, the Buyer knows exactly how much the effort will cost, with scope, and schedule firmly established, the Buyer and Seller must adopt a cooperative program management process that allows the development team the flexibility to make equivalency trade-offs to achieve a workable product within the constraints of the contract.

### Payment Milestones

Performance based Milestone payments may be appropriate (See FAR 32.10) for agile development contracts. Consideration should be given to establishing payment milestones during contract negotiations, allowing for the payment of costs, award or incentive fees. The IMP / IMS may be used to provide insight into schedule critical

path(s), performance risks, and milestones at which risk is retired that should be considered in the selection of payment milestones.

It is recommended to not be overly prescriptive. The payment milestones should be based on significant events or accomplishments and not a finite list of features or number of sprints or releases to be completed. Let the Agile process deliver the product and the payment milestones be based on significant events or accomplishments. The engineering should not be constrained by business and a rigid payment milestone schedule.

## 5.4 Clauses and Agency Policy Citations

The guidance in this section is intended for the Executive Branch of the Federal Government for large development type contracts. These contracts present sufficient risk to warrant including provisions in the solicitation for supporting the appropriate program management processes and disciplines to bind the contract in execution. The notification of EVM on a solicitation or contract does not change with the addition of the Agile methodology. This section is a cross reference for a list of potential clauses to be considered for inclusion when contracting for Agile and EVM, it does not supersede any other guidance for contracting for EVM. Depending on the agency conducting the solicitation, a combination of these may apply.

Despite any policy references to dollar thresholds, any of the clauses below can be included on a contract should the risk warrant its inclusion. Despite the summary of policy included in this section, the clauses included in the contract awarded will drive contract execution. The list is provided for reference for applicability and is not intended to be a comprehensive set of instructions or exhaustive instructions for contracting for EVM and Agile and will vary by the issuing agency.

### 5.4.1 EVMS Requirement References

The source of acquisition requirements for an EVMS is the Office of Management and Budget (OMB) Circular A-11, Supplement to the Capital Programming Guide. All subsequent federal and agency specific acquisition requirements reference the A-11. The [NDIA IPMD Earned Value Management Systems Application Guide](#) summarizes the federal and agency specific acquisition documents that reference the A-11 EVMS requirements.

The Federal Acquisition Regulation (FAR) Subpart 34.2 (34.201, Policy) states: “An Earned Value Management System (EVMS) is required for major acquisitions for development, in accordance with OMB Circular A-11. The Government may also require an EVMS for other acquisitions, in accordance with agency procedures.” Agencies may define their EVMS requirements in agency supplements to the FAR with specific instructions, orders, and guides in accordance with the A-11. Agencies without supplemental guidance reference FAR Subpart 34.2 and the related FAR solicitation or contract clauses.

Agency specific notes:

- DoD applies the A-11 and FAR with the Department of Defense Instruction (DoDI) 5000.02. The DoDI references the applicable Defense Federal Acquisition Regulation Supplement (DFARS) paragraphs that define DoD’s EVMS policy and contract clause requirements. DoDI 5000.02 Table 8 summarizes the EVM application requirements and documents the applicable thresholds. DoDI 5000.02 Table 9 summarizes the thresholds for EVM reporting requirements. DFARS 234.201 repeats the threshold requirements found in the DoDI Table 8.

- DOE applies the A-11 with DOE Order 413.3B. This order sets the thresholds for EVMS certification and surveillance reviews. DOE Guide 413.3-10A describes how DOE implements EVM on DOE programs.
- NASA applies the A-11 with FAR supplements to fit NASA's mission objectives. NASA's supplement Part 1834 Major System Acquisition, Subpart 1834.2 EVMS, sets the thresholds for EVM requirements.

### 5.4.2 Performance Based Contracting References

When contracting for an Agile methodology, it is recommended to include provisions for performance based contracting and use of a SOO. Policy documents from OMB and OFPP encourage the use of Performance Based Contracting Acquisition (PBSA) and more specifically, FAR Subpart 37.6 describes "Performance-Based Acquisition". FAR Part 37 Service requires the use of performance-based acquisition for services to the maximum extent practical and prescribes policies and procedures for use of performance-based acquisition methods. Two additional sources for reference are:

- Seven-Steps to Performance-Based Acquisition (guide/instructions for SOO, PWS and QASP etc.).
- DAU Service Acquisition Mall provides tools and templates to create a performance-based service acquisition requirements.

### 5.4.3 Contractual Reporting and Data Deliverables

Contract reporting is directed by contract clauses and data item requirements. Status and funds reporting is essentially unchanged from other contract types and consists of:

- Contract funding including Limitation of Funds, and Limitation of Cost as appropriate.
- Earned Value reporting and Cost and Software Data System reporting with minor modifications discussed elsewhere in this document to account for the inherent differences between waterfall and agile programs.

Other reporting requirements, especially in defense contracts, are established by various Data Item Description (DID) requirements which are typically assigned and cataloged on a DD Form 1423 – Contract Data Requirements List (CDRLs). Prescriptions for these DIDs are contained in agency-specific clauses or policy guidance.

In an Agile software development contract, the working software being developed as a component of the final product is the primary deliverable. Consider modifications to the CDRL expectations given the iterative development fashion and the customer involvement in various activities, such as allowing for "as-built" CDRL's or elimination of CDRLs no longer needed.

In EVM, the Integrated Program Management Report (IPMR) is the primary CDRL. The Agile details underpin the EVM data and the entire set of reporting and management data should work together to tell a consistent story and provide more accurate, timely and reliable data.

The following types of CDRLs are identified as being impacted by the Agile process and future guidance is forth coming to expand information:

- System Engineering CDRLs
- Design CDRLs (depending on contract)
- SW CDRLs
- Test CDRLs

- Training CDRLs
- Program Management CDRLs (including EVM IPMR)
- Agile Reporting Metrics
- IMP (see Section 2.2)

## 5.5 Contractual Change in an Agile and EVM Environment

All Federal contracts are required to include one of FAR (or Agency specific supplements) cited “changes” clause which asserts that the Buyer (Government) has a unilateral right to change specific aspects of the contract at any time for its sole convenience. This right is counterbalanced by the Seller’s (Contractor’s) right to request an “equitable adjustment” of the contract value and or to avail themselves of the claims process (via the Disputes Act).

The legacy in government contracting is managing requirements. When requirements are removed, there is an expectation that, consideration will be given to the buyer and the buyer often expects value returned. Conversely, when requirements are added to the contract, the seller expects to receive additional contract value, budget and funding corresponding to the increase in the requirement(s). Typically, when using an EVMS, these changes would also impact the PMB.

Not all changes to the project are “changes” from a contractual point of view or an EVM baseline change. Contractual changes are communicated in writing (usually via a SF30) signed by one or both parties so as to form a ‘supplemental agreement’ to the contract.

Some changes can be made outside the mechanism of the “changes” clause. These so called “Constructive Changes” are to be avoided. Examples of these include, but are not limited to: improper or excessive inspection / application of technical standards, failure to cooperate with the contractor, defective specifications or improper or inappropriate direction of government. Many “changes” do not rise to the level of a contractual change. Example of these include, but are not limited to: are simple performance trade-offs that do not materially change the terms or conditions of the contract, are resequencing of tasks or events that mutually benefit the parties and do not impact the contract schedule or cost, or are definitions of work that is to be done under the contract (e.g., “technical guidance”) that do not change the contract schedule or cost.

Agile, due to its very nature allows (or often encourages) pivots in various directions as the work progresses and more is known. This characteristic can present contractual issues unless:

- Contractual requirements are stated in terms of desired or functional outcomes
- The work and/or cost are constrained through an appropriate contractual mechanism
- The CAM and Product Owner along with the PM should consider the types of change and be aware of the types of change within the Agile process execution and consult on a regular basis with the contracts officer to confirm the type of change

When interpreting change on an Agile and EVM contract, the fundamental consideration of each change should focus on the scope of the contract: Consider the highest level “requirement” or product. Is the highest level product changing? Are the boundaries of the requirements or product purchases changing? For example:

- If the solicitation is for a pickup truck there should be consideration if an SUV is now being required because they are two different vehicles? Without a contract change, neither the buyer nor the seller should accommodate the production of an SUV. To manage this expectation, there should be an acknowledgement that the original product

vision is now changing. If the fundamental product is not changing, consider if the change is something that can be accommodated within the original iron triangle of scope, schedule and budget negotiated during the solicitation.

- If the joint buying and selling team, as coordinated with the product owner's visions decides to accept the change, is there a cost or schedule impact? Document the written change order, negotiate the change through the official contracting authority for both budget and schedule and implement the change in the baseline. And ensure that any corresponding requirements represent the latest definitized changes within the product boundaries.

### 5.5.1 Contracting Authority:

As of the writing of this document, the contractual authority in Government Contracting does not change when utilizing Agile and EVM together. The Product Owner does have the authority to make business value decisions that should be coordinated with the Buying Government Program Management Office. The list below are the contributors to manage contractual change, with the ultimate signing authority being between the Buying Contracting Officer and the Selling Contracts Manager:

- Buyer: Contracting Officer (CO) / Procurement Contracting Officer (PCO)
- Buyer: Administrative Contracting Officer (ACO)
- Buyer: Contracting Officer's Representative (COR) is the authority for technical guidance, refinement of a technical process or technical definition
- Buyer: Government Program Management Authority
- Seller: Contracts Manager
- Seller: Contracting Program Manager

### 5.5.2 Program Management Process

There are several recommended Program Management Processes for managing all types of change outlined in the following section. Considering defining the necessary processes applicable to the agile solicitation, including:

- Agile Ceremonies – various team reviews at multiple levels and time increments for planning and demonstration as a mechanism for all stakeholders to see and accept incremental progress of the completion of the product, as directed by the Product Owner (customer “proxy”). Examples include Release Planning, Sprint Demos, Scrum Meetings, and Release Demos. Agile Ceremonies may supplement or replace the typical reviews being conducted today. Consider documenting how the Agile Ceremonies can be applied in lieu of the traditional examples cited below.
- Engineering Review Board (ERB) / Defect Review Board (DRB) – used to manage and review the technical components of the product / requirements
- Configuration Control Board (CCB) – used to manage and review the impacts that a potential technical change will have on schedule and budget
- Risk Management Review Board – used as a forum to identify risks when planning the project and track the potential that a risk will materialize and be mitigated
- Program Reviews – a comprehensive review of scope completion within the schedule and budget of the solicitation

- Contractual Documentation – based on the outcome of the ERB, CCB, Risk Review, Agile Ceremonies and Program Reviews, determine appropriate items to be coordinated through contractual change channels, such as letters, ECPs or Requirements Lists (Equivalency Swaps)

### 5.6 Systems Engineering Technical Reviews (SETR)

If a Program Management Office intends to embrace Agile methods on a DoD program, it will need to determine how to meet the criteria for the major milestone reviews, particularly System Requirements Review (SRR), Preliminary Design Review (PDR), Critical Design Review (CDR) and Test Readiness Review (TRR). Each of these reviews is typically a one-time event with entrance and exit criteria based on completion of the corresponding development phase. Conversely, Agile development emphasizes incremental development of system functionality through iterative execution of development phases for the duration of the program. Despite this difference in emphasis and method, Agile programs can utilize a tailored milestone review approach in which the reviews focus on the incremental progress of the system rather than the completion of development phases. In this way, the Agile program adopts a progressive technical review scheme, where each successive wave of reviews builds on its predecessors.

Table 5.4 below provides recommendations for adapting technical reviews on programs with an EVM requirement that are using the Agile development framework. The emphasis here is on characterizing the relationship between the adapted iterative technical practice and the associated EVM practices.


Technical Review	Purpose	Adapted Iterative Technical Practice	EVM practice
Kick Off	<ul style="list-style-type: none"> <li>• Post Award Conference or Post Award Orientation. A Post Award Orientation aids both Government and contractor personnel to (1) achieve a clear and mutual understanding of all contract requirements, and (2) identify and resolve potential problems. However, it is not a substitute for the contractor fully understanding the work requirements at the time offers are submitted, nor is it to be used to alter the final agreement arrived at in any negotiations leading to contract award. The Post Award Orientation is encouraged to assist: small business concerns; small disadvantaged business concerns; veteran-owned small business concerns; service-disabled veteran-owned small business concerns; HUBZone small business concerns; and women-owned small business concerns. While cognizant Government or contractor personnel may request the contracting officer to arrange for orientation, it is up to the contracting officer to decide whether a Post Award Orientation in any form is</li> </ul>	<ul style="list-style-type: none"> <li>• Use the Post Award Conference to review the process associated with the Agile methodology. Product Owners and Stakeholders should attend to foster collaboration and communication. Conduct review of initial System Capabilities and Product Roadmap.</li> </ul>	<ul style="list-style-type: none"> <li>• Overview of EVM policies. Initial review PMB; mapping of Capabilities to PMB.</li> <li>• Leverage kick-off activities in support of ongoing IBR preparation. This will lead up to conducting the IBR.</li> </ul>

Technical Review	Purpose	Adapted Iterative Technical Practice	EVM practice
	<p>necessary. Maximum benefits will be realized when orientation is conducted promptly after award. (cf. FAR subpart 42.5, 42.501 General.)</p>		
SRR	<ul style="list-style-type: none"> <li>• Ensure the level of understanding of top-level system requirements is adequate to support further requirements analysis and design activities, and that the system can proceed into initial system design with acceptable risk. (IEEE 15288-2)</li> </ul>	<p><b>Adapted SRR</b></p> <ul style="list-style-type: none"> <li>• Review top-level requirements, Development Plans (systems and software development plans), System Capabilities Baseline, and Product Roadmap.</li> </ul>	<ul style="list-style-type: none"> <li>• Update and refine PMB consistent with EVM change management policies based on SRR results, if required.</li> </ul>
PDR/CDR	<ul style="list-style-type: none"> <li>• PDR: ensure the preliminary design for the system under review is sufficiently mature and ready to proceed into detailed design and can meet the stated performance requirements within program budget, schedule, risk, and other program and system constraints.</li> <li>• CDR: ensure that the detailed design for the system under review is adequate to proceed into fabrication, system integration, demonstration and test and can meet stated performance requirements within budget, schedule, risk, and other system constraints. (IEEE 15288-2)</li> </ul>	<p><b>Incremental Progress Reviews</b></p> <ul style="list-style-type: none"> <li>• Demonstration of completed product including insight into completed features and other development artifacts, such as architecture, requirements, design, and software.</li> <li>• Release Planning: Selection of features to be developed in the next increment.</li> </ul>	<ul style="list-style-type: none"> <li>• Earned value reported (BCWP) and Variance Analysis based on product completed to date as presented at incremental progress reviews.</li> <li>• Rolling Wave Planning: update and refine PMB based on increment planning results, if required.</li> </ul>
TRR	<ul style="list-style-type: none"> <li>• Assess test objectives, test methods and procedures, test scope, safety, readiness for acquirer and supplier development test and evaluation (DT&amp;E), and whether test resources have been properly identified and obtained. (IEEE 15288.2)</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Internal Test Event reviews:</b> Integrated with the Incremental Progress review described above. Includes insight into incremental test artifacts and results.</li> <li>• Final internal test event review: demonstration of lower-level specification selloff; may be combined with incremental progress review.</li> <li>• <b>External Test Event reviews:</b> higher-level specification selloff; results part of traditional</li> </ul>	<ul style="list-style-type: none"> <li>• Internal: Earned value reported (BCWP) and Variance Analysis is based on product testing completed as presented at incremental progress reviews.</li> <li>• External: EVM and EVT's tied to</li> </ul>

Technical Review	Purpose	Adapted Iterative Technical Practice	EVM practice
		government-led DT test event reviews. For these formal test events, there may be multiple TRRs held to achieve the system stability and removal of system defects. These formal test events may be more waterfall in nature, with incremental test cycles / sprints to execute the required test procedures to ensure system safety and worthiness	higher-level specifications CA and WP. Earned value reported (BCWP) and Variance Analysis is based on progress made towards completion of formal test events

Table 5-4: Technical Reviews adapted for Agile development

Figure 5-1 below displays the timeline for both traditional and Agile SETRs as well as relationship between Agile SETRs and associated Program Management activities. This diagram is derived from figure 4 of SEI/CMU *RFP Patterns and Techniques for Successful Agile Contracting*.<sup>i</sup>



\* IPR Includes review of architecture, requirements, design, code and test products

Figure 5-1: Timeline for traditional and Agile SETRs

- i. Agile Acquisition and Milestone Reviews, Copyright 2017 Carnegie Mellon University. All Rights Reserved.
- ii. RFP Patterns and Techniques for Successful Agile Contracting, CMU/SEI-2016-SR-025

## Appendix A - Agile Data Dictionary

AGILE TERM	AGILE DEFINITION
<b>Burndown Chart</b>	The trend of work remaining across time in a Sprint, a release or in a product. The burn down chart is a publicly displayed chart showing remaining work in the Sprint Backlog. Updated every day, it gives a simple view of the Sprint progress.
<b>Backlog Grooming</b>	The team (or part of the team including the PO) meet regularly to "groom the product Backlog", in a formal or informal meeting which can lead to any of the following: <ul style="list-style-type: none"> <li>• removing Stories that no longer appear relevant</li> <li>• creating new Stories in response to newly discovered needs</li> <li>• re-assessing the relative priority of Stories</li> <li>• assigning estimates to Stories which have yet to receive one</li> <li>• correcting estimates in light of newly discovered information</li> <li>• splitting Stories which are high priority but too coarse grained to fit in an upcoming Sprint</li> </ul>
<b>Backlog</b>	A Backlog is a list of Features or technical tasks which the team maintains and which, at a given moment, are known to be necessary and sufficient to complete a program or a release: <ul style="list-style-type: none"> <li>• if an item on the Backlog does not contribute to the program's goal, it should be removed;</li> <li>• on the other hand, if at any time a task or Feature becomes known that is considered necessary to the program, it should be added to the Backlog.</li> </ul>
<b>Buyer</b>	Buyer should be considered as the Government Customer. The individual with the contracting authority represents the buyer for legal purposes but the "Buyer" is in fact the entire customer team
<b>Cadence</b>	Refer to definition for Release: Cadence Release.
<b>Capability</b>	Capability and Epics are used interchangeably in this guide. Both are recognized as customer required abilities of the system that provide value and is associated with specific Feature(s) and their Stories that must be satisfied for its completion.
<b>Daily Scrum Meeting</b>	A short status meeting held daily by each team. Team members synchronize their work and progress and report any impediments to the Scrum Master for removal.
<b>Definition of Done</b>	Complete as mutually agreed to by all parties and conforming to an organization's standards, conventions and guidelines. Note that an outcome of product and Release Planning is to create a Definition of Done, which equates to IMP accomplishment criteria, for Epic/Capabilities and Features respectively.
<b>Epic</b>	Epics may represent core business capabilities which are defined by the customer or stakeholders. A large grained definition of a need that will likely take more than one release to complete. Can be split into Features and eventually Stories. Epics are part of the product Backlog and should have some form of relative sizing estimate. Capability and Epics are used interchangeably in this guide.
<b>Feature</b>	A discrete or coherent functionality within an Epic/Capability, scheduled to be completed within a release (cadence or Capability), and comprised of a collection of logically cohesive Stories. All Features should have clearly defined objective technical completion criteria. This is the lowest level of earned value baseline scope definition.

AGILE TERM	AGILE DEFINITION
<b>Increment</b>	Synonymous with Cadence Release (also known as Release or Capability Release)
<b>Iteration</b>	Synonymous with Sprint
<b>Lean</b>	As defined by Wikipedia, Lean Six Sigma is a methodology that relies on a collaborative team effort to improve performance by systematically removing waste and reducing variation. It combines lean manufacturing/lean enterprise and Six Sigma to eliminate the eight kinds of waste: Defects, Over-Production, Waiting, Non-Utilized Talent, Transportation, Inventory, Motion, and Extra Processing
<b>Product Backlog</b>	The master list of all functionality at the Epic and Feature level that is desired in the product and any other elements needed to produce the product, even if not in the final product. Product Backlog is prioritized from most to least important.
<b>Product Backlog Planning</b>	A process in which the team maps the product Epic/Capabilities to Features that are to be accomplished based on customer agreement that specifies what the product must do and when the functionality will be delivered within a timeboxed schedule.
<b>Product Owner (PO)</b>	The person responsible for maintaining the Product Backlog by representing the interests of the stakeholders. The product owner is a new role to be established when contracting for Agile. The role of the product owner may start to be defined and included as part of the solicitation of the contract. The definition should include identifying if the buyer or the seller is supplying the PO. Best practice recommends that the buyer is responsible to identify and provide a product owner. The full set of responsibilities may be finalized as part of kick-off. Consider implementing a service level agreement.
<b>Release</b>	<p>There are two broad types of releases.</p> <p>Capability Release - A Capability Release is typically based on customer agreement that specifies what the product must do in context to the release plan.</p> <p>Cadence Release - working software released on a regular or timeboxed schedule. Timebox length varies widely, but is static throughout the development (also called program increment).</p> <p>In either case, the content of the release is determined thru product Backlog refinement/Release Planning. Agile development efforts commonly use Cadence Releases.</p>
<b>Release Planning</b>	A process in which the team maps the product Backlog Epic/Capabilities to Features and Stories that are to be accomplished based on customer agreement that specifies what the product must do and when the functionality will be delivered within a timeboxed schedule.
<b>Scrum</b>	An incremental product development methodology commonly used to manage the program when applying Agile practices. A Scrum team works in a highly collaborative and team centric manner to achieve the team objectives.
<b>Scrum Master</b>	The person responsible for the Scrum process, making sure it is used correctly and maximizes its benefits. Scrum is facilitated by a Scrum Master, whose primary job is to remove impediments to the ability of the team to deliver the Sprint goal. The Scrum Master is not the leader of the team (as they are self-organizing) but acts as a buffer between the team and any distracting influences. The Scrum Master ensures that the Scrum process is used as intended.


AGILE TERM	AGILE DEFINITION
<b>Scrum Team</b>	The Scrum Team is made up of the PO, Scrum Master and Team.
<b>Seller</b>	Refers to the contractor providing the solution and product requested by the buyer.
<b>Statement of Objective (SOO)</b>	Provides basic, top-level objectives of an acquisition and is provided in the request for proposal (RFP) in lieu of a government-written statement of work (SOW).
<b>Sprint</b>	A timebox of work for which the duration is defined by the team and related to their optimal work cadence. Sprint durations are typically fixed and are usually between 1 and 6 weeks in duration. During the Sprint, the team works to turn a portion of the Product Backlog it has selected into an increment of potentially shippable product functionality.
<b>Sprint Backlog</b>	A list of tasks to be completed during the Sprint.
<b>Stakeholder</b>	Someone with an interest in the outcome of a program, either because he or she has funded it, will use it or will be affected by it.
<b>Story (User Story)</b>	Part of a Feature that can be estimated in Relative size and complexity and prioritized in Sprint Backlog. Stories are sized to fit within a Sprint. The completion of Stories can be used to calculate earned value.
<b>Story Points (estimates in)</b>	<p>Agile teams may express estimates in units of "Story Points", providing for the use of Story Point Velocity for planning purposes. "Velocity", in the sense Agile teams use the term, has no preferred unit of measurement. Velocity allows teams to compute the expected remaining duration of the program, as a number of Sprints, each Sprint delivering some amount of Features.</p> <p>Another important reason has to do with the social and psychological aspects of estimation: using units such as Story Points to estimate a weighted Story Value, emphasizing relative difficulty over absolute duration, relieves some of the tensions that often arise between developers and managers around estimation: for instance, asking developers for an estimate then holding them accountable as if it had been a firm commitment.</p>
<b>Team</b>	A cross-functional group of people that is responsible for managing itself to develop product for every Sprint. Team members' work together consistently in a predefined pattern. In contrast to traditional methods that bring people in as needed.
<b>Timebox or Timeboxed</b>	A period of time that cannot be exceeded and within which an event or meeting occurs. An example is the Daily Scrum meeting which is typically timeboxed to 15 minutes and ends at that time regardless.
<b>Velocity</b>	<p>At the end of each Sprint, the team adds up effort associated with Stories that were completed during that Sprint. This total is called velocity. (Completed weighted Story Value in Story Points / Sprint Length)</p> <p>Knowing velocity, the team can compute (or revise) an estimate of how long the program will take to complete, based on the estimates associated with remaining Stories and assuming that velocity over the remaining Sprints will remain approximately the same.</p>

## Appendix B - Examples of Agile EVM Progress Tracking Charts

Graphs can be created that overlay Agile program data metrics on the EVM calculations and metrics to show how Agile may be used to perform EVM analysis for a program with the Agile-EVM model of application. For example, a graph connecting Story Points (associated with completed weighted Stories) burn-up status with Performance Management Baseline (PMB) type data as a plot. This is illustrated below in Figures B-1, B-2 (Lockheed Martin Platinum Card) that illustrates both PMB and completed Story burn-up in Story Points.

Figures B-1 and B-2 are the copyright of Lockheed Martin Corporation and are included in this guide. Figure B-3 is a slightly different example from Rockwell Collins that shows explicitly the progress as measured via Story Points associated with completed Stories in the Agile Tool as “bars” on the graph as indexed by the left axis, along with the costs as indexed by the right axis to be able to visually see any disconnects or trends. Figure B-4 shows an example program-level remaining weighted Stories burndown chart in Story Points courtesy of Raytheon with both overall status and forecasted Sprint iteration number the program will complete. All figures were used with permission.

## PLATINUM CARD EVM FOR AGILE DEVELOPMENT



**Variations** Positive is Favorable, Negative is Unfavorable

<b>Cost Variance</b>	<b>CV</b>	<b>= Burn Up Status – Actual Cost (BCWP – ACWP)</b>
CV %		<b>= (CV / BCWP) * 100</b>
<b>Schedule Variance</b>	<b>SV</b>	<b>= Burn Up Status – Release Plan (BCWP – BCWS)</b>
SV %		<b>= (SV / BCWS) * 100</b>
<b>Variance at Completion</b>	<b>VAC</b>	<b>= BAC – EAC</b>
VAC %		<b>= (VAC / BAC) * 100</b>

**DoD Metrics**

Favorable is > 1.0, Unfavorable is < 1.0

Cost Efficiency CPI = **Burn Up Status / Actual Cost (BCWP / ACWP)**

Schedule Efficiency SPI = **Burn Up Status / Release Plan (BCWP / BCWS)**

**Program Agile Team Estimate @ Completion**

**ETC = Velocity x Remaining Backlog**

**EAC = Actual Cost + (Velocity x Remaining Backlog)**

**Independent Estimate @ Completion #**

= ACTUALS TO DATE + [(REMAINING WORK) / (PERFORMANCE FACTOR)]

**EAC<sub>CPI</sub>** = **ACWP<sub>CUM</sub> + [Remaining Backlog / CPI<sub>CUM</sub>]**

= ACWP<sub>CUM</sub> + [(BAC – BCWP<sub>CUM</sub>) / CPI<sub>CUM</sub>]

**EAC<sub>Composite</sub>** = **ACWP<sub>CUM</sub> + [Remaining Backlog / (CPI<sub>CUM</sub> \* SPI<sub>CUM</sub>)]**

= ACWP<sub>CUM</sub> + [(BAC – BCWP<sub>CUM</sub>) / (CPI<sub>CUM</sub> \* SPI<sub>CUM</sub>)]

**To Complete Performance Index (TCPI) = Work Remaining / Cost Remaining**


**TCPI<sub>EAC</sub>** = **Remaining Backlog / (Velocity \* Remaining Backlog)**

= (BAC – BCWP<sub>CUM</sub>) / (EAC – ACWP<sub>CUM</sub>)

©2013.Lockheed Martin Corporation. All Rights Reserved.

Figure B-1: Front side of example “Platinum Card” for Agile EVM, indicating both Agile (Burn-Up) and EVM (PMB) baseline plan and progress data.

# AGILE DEVELOPMENT EVM HIERARCHY



**Agile Terminology**

- Backlog** Collection of features and user Stories the agile team will work on at some point in the future
- Burn Up Chart** Representation of the amount of user Stories completed
- Feature** Coherent business function or attribute of the product or system. A single feature typically is implemented through many Stories. Features provide the basis for organizing Stories
- Iteration (Sprint)** Time period of fixed length during which the agile development team produces an increment of completed product
- Release Plan** Schedule for releasing products into productive use, made up of features and user Stories
- Stories (User)** Small system function with well-defined success criteria that can be developed by one team within one iteration. User Stories define the work that must be done to create and deliver a feature
- Story Points** Characteristics of a user Story; relative size measurement used by agile teams for work product estimation
- Velocity** Measures amount of work a team can complete in an iteration, typically in Story Points; used to measure how long it will take a particular team to deliver future outcomes by extrapolating on the basis of prior performance

**Acronyms**

<b>ACWP</b>	Actual Cost of Work Performed	Cost actually incurred in accomplishing work performed
<b>PC</b>	Percent Complete (BCWP)	BCWP claiming criteria for Feature (completed/planned Stories)
<b>BAC</b>	Budget At Completion	Total budget for contract through any given level
<b>BCWP</b>	Budgeted Cost for Work Performed	Value of completed work in terms of the assigned budget
<b>BCWS</b>	Budgeted Cost for Work Scheduled	Time-phased Budget Plan for work currently scheduled
<b>CA</b>	Control Account	Management point for planning/controlling scope/schedule/budget
<b>EAC</b>	Estimate At Completion	Estimate of total cost for contract through any given level
<b>ETC</b>	Estimate To Complete	Estimate of total cost for remaining work
<b>MR</b>	Management Reserve	Budget withheld by PM for unknowns/risk management
<b>PMB</b>	Performance Measurement Baseline	Contract time-phased budget plan, cost/schedule/technical objectives
<b>PP</b>	Planning Package	Far-term CA activities not yet defined into Work Packages
<b>SPs</b>	Story Points	Characteristics of a user Story. Relative size measurement
<b>TAB</b>	Total Allocated Budget	Sum of all budgets for work on contract
<b>TCPI</b>	To Complete Performance Index	Efficiency needed from 'time now' to achieve the EAC
<b>WP</b>	Work Package	Near-term, detail-planned activities within a CA

©2013.Lockheed Martin Corporation. All Rights Reserved.

Figure B-2: Back side of example “Platinum Card” for Agile EVM.




Figure B-3: Example of a progress tracking report indicating both Agile and EVM progress data on graph.




Figure B-4: Example of a program level burndown chart across multiple teams, indicating overall status and predicted completion Sprint.

## Appendix C - References

1. *Agile Planning and Estimating*, Mike Cohn, 2006, Pearson Education, Inc., ISBN 0-13-147941-5
2. *Scaling Lean & Agile Development*, Craig Larman, Bas Vodde, 2009 Pearson Education Inc., ISBN-13: 978-0-321-48096-5
3. *The Software Project Manager's Bridge to Agility*, Michele Sliger and Stacia Broderick, 2008, Pearson Education, Inc., ISBN-13: 978-0-321-50275-9
4. *A Compendium on The Application of EVM to Agile Development and The Application of Agile Development to EVM*, Glen Alleman, Eric Christoph, Luis C Contreras, Andrea Nibert, Ray W Stratton, Ron Terbush, Howard Zillman, The Measurable News, 2015.01 Issue, pp 11-38.
5. *Digital Playbook – TechFAR Handbook*, draft
6. Dean Leffingwell et al, the [Scaled Agile Framework® creator's website](#); specifically, Story Point normalization method under the section titled Normalizing Story Point Estimating:
7. [Scaled Agile Framework®](#) (Leffingwell, et. all). The Scaled Agile Framework® (“SAFe®”) is a proven knowledge base for implementing Agile practices at enterprise scale.
8. [DoD EVMS Interpretation Guide](#), EVMS GUIDELINES: PLANNING, SCHEDULING, AND BUDGETING and REVISIONS AND DATA MAINTENANCE CATEGORIES: Guidelines (10, 28 – 32)
9. The Software Engineering Institute and Carnegie Mellon University Published the *RFP Patterns and Techniques for Successful Agile Contracting*
10. [The Department of Defense's \(DoD\) Integrated Master Plan and Integrated Master Schedule \(IMP/IMS\) Preparation and Use Guide Version 0.9](#)
11. [DoDI 5000.02](#)
12. [AAP Desktop Agile and EVM Guide for PMs](#)
13. [Seven-Steps to Performance-Based Acquisition](#) (guide/instructions for SOO, PWS and QASP etc.)
14. [DAU Service Acquisition Mall](#) provides tools and templates to create a performance-based service acquisition requirements

**General References on EV Systems, Program Management, and Work Breakdown Structure**

1. *MIL-STD-881, Department of Defense Standard Practice: Work Breakdown Structures for Defense Materiel Items*, (Current Version)
2. *DoD IPMR Implementation Guide*, January 24, 2013
3. *PMBOK, A Guide to the Project Management Body of Knowledge*, PMI
4. *Practice Standard for EV*, PMI
5. *Practice Standard for Work Breakdown Structures*, PMI
6. *DoD Instruction 5000.02, Operation of the Defense Acquisition System*
7. *SAE International EIA-748-D EV System (EVMS) Standard (EIA-748)*
8. *EV Systems EIA-748-C Intent Guide*, April 29, 2014, NDIA
9. [Acquisitions Analytics and Policy \(AAP\) EVM Division](#)
10. [Scrum Alliance](#)
11. [The Agile Alliance](#)
12. *The Software Project Manager's Bridge to Agility*, Sliger, Michele; Broderick, Stacia, 2008

## Appendix D - Product Roadmap, Release Planning, and Rolling Wave Planning Products

This appendix elaborates on the Agile project planning process and integrating it with the EVM planning process introduced in Sections 2.1, 2.2, and 3.3.

### Product Planning: Product Backlog and Product Roadmap

The Product Backlog is the prioritized list of system functionality required for the project or program. The Product Roadmap is the time-phased delivery plan for the functionality in the Product Backlog. The Product Roadmap is also referred to as the “Program Roadmap” or “Release Roadmap”.

The Product Backlog and Product Roadmap are created during Product Planning, the initial program planning performed, usually during the proposal time frame or at program start, at the latest. During Product Planning, the Product Owner(s) and customer representatives specify and prioritize the initial set of system Epics/Capabilities needed to deliver the contractually required system, thus forming the initial Product Backlog. The System Epics/Capabilities are then prioritized into Cadence Releases and aligned with the customer deliveries, thus forming the Product Roadmap. The Epics/Capabilities shown in the Roadmap reflect the full program scope (as defined in the Statement of Work or Statement of Objectives). Note that some Epics/Capabilities flow into Customer Deliveries with defined dates that may not coincide with the completion of a particular Cadence Release. See Figure D-1 below for an example Product Roadmap.




Figure D-1: The initial Product Roadmap completes the Epics/Capabilities planning and incorporates customer delivery milestones.

### Release Planning: Cadence Release Plan

With the initial Product Backlog and Product Roadmap established, the program conducts Cadence Release Planning. The objective of Release Planning is to establish the functionality to be implemented within the program’s next Cadence Release. In Release Planning, the Product Owner(s) decompose Epics/Capabilities from the Product Roadmap into a lower-level expression of system functionality called Features. A Feature is a piece of an Epic/Capability that can be completed within one Cadence Release. This sizing to one Cadence Release is what distinguishes the Feature from its associated Epic/Capability. The Release Plan then is the set of Features planned to be implemented in that Cadence Release. In Figure D-2 the Product Roadmap includes the Features for the first Cadence Release.




Figure D-2: The updated Product Roadmap completes the Features planning for Release-1.

It is often the case that programs desire to have a Feature-level view of the Product Roadmap beyond the current or just-planned Cadence Release. In this case, the program establishes broadly-defined Features for future Cadence Releases. In Figure D-2, the Product Roadmap shows the Release Plan for the Cadence Release as well as initial Features for Releases 2 and 3. Programs are cautioned that planning Features beyond the next Release can add unnecessary and wasteful work to keep the detailed plan up to date because of emerging or changing Customer needs and other knowledge gained from the execution of the earlier Cadence Releases. Where a program has well-defined, predictable, and stable product definition and customer needs for the duration of the program, it may be appropriate to plan to the Feature level of detail for the whole program, and periodically review the Roadmap at Release Planning events for currency and needed updates.

The roadmap must also be of appropriate detail to model key product dependencies (as shown with the Epic/Capability dependencies in Figure D-3) to demonstrate the critical path. Roadmap updates may impact the EVM Performance Measurement Baseline and should be dealt with per the company's EVM System Description for baseline change management. As needed, results from Release Planning events are fed into subsequent IMS rolling wave planning activities to update and synchronize the Agile and EVM planning products.




Figure D-3: An alternate updated Product Roadmap with planning to three Releases out.

Figure D-3 provides an alternative updated Product Roadmap that completes the Feature planning for Release-1 and provides initial Features for Release-2 and Release-3. Planning three releases out could be done given stable Epic/Capability plans.

The process to create and maintain a Product Roadmap includes the following steps:

1. Create, size, and prioritize Epics/Capabilities, which provide the highest level of product definition in the Product Backlog for the full scope of work.
2. Bin the Roadmap Epics/Capabilities into Cadence Releases based on factors such as priority (to maximize value delivery), product dependencies, and risk reduction. Include any fixed-date customer milestones and show product dependencies to support them.
3. Decompose, size, and prioritize near-term Epics/Capabilities into Features for the first 2-3 releases, or longer, as needed to understand key product dependencies.
4. Refine the roadmap with those decomposed products.
5. Review the roadmap with the customer and other key stakeholders to gain concurrence on this high-level program plan.
6. Periodically review and update the Product Roadmap, nominally in alignment with Release Planning events, filling in upcoming releases with Epics/Capabilities decomposed into Features from the updated Product Backlog. Some Features in future Cadence Releases may not be completely decomposed; each ensuing Release Planning event for that release completes the Feature decomposition, updating both the Product Roadmap and Product Backlog.

Note the granularity of a Roadmap depends on the size of the program – a small program with one or two Agile teams may only need a single page roadmap while a 40-team SAFe® -based program with multiple major value streams requires something much more substantial.

## Aligning the Release Planning Results with the EVMS PMB

The following activities are generally necessary to define and maintain traceability between the Agile and the Performance Measurement Baseline to support EVM, and further validate the Product Backlog satisfies a program's contract Statement of Work or Statement of Objectives. Note the initial traceability and mapping of high-level Agile products (e.g., Epics/Capabilities) to control accounts should have been established at program start to define the Performance Measurement Baseline. The activities listed below should be accomplished or revisited to maintain the performance measurement baseline upon completion of each Release Planning event. They should occur before the start of the Release planned work.

### Product Backlog Activities:

- Mapping or re-Mapping of Features to Work Packages or Planning Packages (e.g. each Feature has a WP attribute, with the value set to the specific WP for that feature). This mapping/re-mapping activity is primarily an exercise in successive and iterative refinement to the established baseline.
- Optional: Mapping of Features to the Cadence Release (e.g. each Feature has a Cadence Release attribute, with the value set to the specific Cadence Release for that feature). This is useful for determining Feature status on a Cadence Release basis. For example, you may want to know the Feature Percent Complete of all Features in Cadence Release 3.
- Update any tools used to determine EV percent complete with the new Features (e.g. Agile Management tool or Excel workbooks).

### Integrated Master Schedule Activities:

- The IMS is updated with new work packages for the rolling wave; the rolling wave and IMS updates are aligned with Release Planning.
- Rolling wave Baseline Change Requests are approved and Work Authorizations signed off.
- Optional (but very helpful): Conduct a rolling wave outbrief with Control Account Managers/Product Owners (CAMs/POs) that reviews the mapping of WP to CAMs/POs, mapping of Features to work packages, as well as work package budgets and periods of performance. This sets the expectations of EVM impacts as a result of rolling wave planning, which was informed by the completed Release Planning event.

### Prior to Starting a Work Package:

- Verify stories have been created for all Features in the work package so that Percent Complete can be calculated.

## Context and Role of the Product Roadmap, Relationship to the IMS

The Product Roadmap often forms the foundation for the IMS. The roadmap shows the planned sequence of product development, includes key product dependencies and relationships to customer milestones, and provides a basis for subsequent rolling wave planning. The different and complementary roles of the Product Roadmap and Integrated Master Schedule are summarized in this section.

The Product Roadmap can precede and inform IMP and IMS development, and even supplement the IMP when Definition of Done and assignment of Events, Accomplishments, and Criteria are completed. The Product Roadmap defines the sequence of work related to product elements or capabilities which require effort to complete along with their top level time-frames. Thus, the initial Product Roadmap at the Epic/Capability level should be developed to define the

required work at a summary level before the IMS is developed to define activities and logic. As the lower level details in the Product Roadmap are generated, including Features for nearer-term Cadence Releases, the IMS can be generated shortly thereafter in an initial planning or rolling wave activity. The IMS is synchronized with the Product Roadmap in terms of major dependencies, sequences of work, and coordination of Release Planning events to rolling wave events.

The networking logic in the IMS, often at a work package detailed level in near term and at a planning package level in following rolling wave periods, allows critical path analysis. Equivalently the Product Roadmap captures dependencies and sequences at a top level throughout the program (Epic/Capability level). However, the Product Roadmap sequence can, where no dependency dictates otherwise, also reflect a product element's priority for value delivery as well as its predecessors and successors.

The IMS tasks have a defined duration, which in the Product Roadmap is initially only defined at the Epic/Capability level (Epic/Capability duration defined as an integer number of releases). Features are binned into a particular Cadence Release and no duration is assigned. This dissociation of work from duration and restriction of detail planning to only the nearest few Cadence Releases originated from the low predictability for more detailed work and for work planned to take place in the longer term. Similarly, rolling wave planning to flesh out IMS planning package summary tasks reflects the lack of predictability in longer term and more detailed tasks. The IMS tasks only reflect the planned Features with baselined durations at the completion of Cadence Release Planning and rolling wave planning for the upcoming release.

The process of reviewing and updating the Product Roadmap and the IMS should be designed to be synchronized and complementary. When a Release Planning event is completed, and the sequence and definition of work to build product elements/capabilities is documented, impacts to the IMS can be flowed into a subsequent rolling wave planning event or as a schedule change subject to approvals defined by the EVM System Description. Care must be taken to promptly recognize and capture impacts from the Release Planning events into the EVMS performance measurement baseline as needed before the pertinent work starts. This time-sensitive flow avoids timing conflicts with the freeze period (See Sections 3.4 and 5.5) and avoids significant lag between the work planned and the work contained in the performance measurement baseline. Reconciliation of planning and financial business rhythms, as well as review of the EVM System Description, is warranted to achieve a smooth and timely flow from work planning to execution.

## Appendix E – IBR Considerations

Initial Baseline Review (IBR) considerations for a program implementing Agile Development Methodologies.

An important event for any program starting up a new scope of work is a comprehensive review of the program plan to confirm that the *“performance measurement baseline covers the entire scope of work, the work is realistically and accurately scheduled, the proper amount and mix of resources have been assigned to tasks, and proper objective indicators have been selected for measurement of task accomplishment.”* (NRO IBR Team Handbook) The Initial Baseline Review (IBR) is focused on the achievability of the program plan. It is not a process review.

**Purpose:** The purpose of this section is to provide the program reviewer with a list of artifacts and processes that can be used to augment standard IBR artifacts when evaluating programs implementing Agile methods. Accordingly, the matrix below is not a comprehensive IBR checklist, but is limited to items that support the portions of the plan related to Agile methods.

**Value Statement:** The value in the information below is that it provides prompts for the reviewer on areas to explore and questions to ask when looking at Agile artifacts in relation to evaluating the soundness of the program plan.

**Assumptions:** Items in the matrix provided here correlate to the artifacts and processes described elsewhere in this NDIA Agile EVM Guide. For programs whose Agile implementations differ from what is described in this Guide, some or all of the items in the matrix below may not apply.

The columns in the table are set up as follows:

- IBR Project Management Constraints (adapted from: A Systems Approach to Planning, Scheduling, and Controlling, 6th edition; Project Management Institute, Project Management Body of Knowledge)
- Area of Focus: Topics to be explored in the focus area related to baseline achievability.
- Typical IBR Artifacts: Artifacts that support the Area of Focus discussion.
- Agile Specific Artifacts or Processes: Unique to “agile” tools, artifacts and processes that would provide the information that support the Area of Focus discussion.
- Attributes of Agile Artifacts or Processes: Content in the artifact or process would indicate a robust well-thought out plan.

IBR Project Management Constraints	Areas of Focus	Typical IBR Artifacts	Agile Specific Artifacts or Processes	Attributes of Agile Artifacts or Processes
Scope	Ensure the program has captured all the customer requirements, including an understanding of the operational concept	<ul style="list-style-type: none"> <li>• SOW</li> <li>• WBS/Dictionary</li> <li>• IMP</li> <li>• WADs</li> <li>• MOD</li> </ul>	<ul style="list-style-type: none"> <li>• Product Backlog</li> </ul>	Product Backlog: <ul style="list-style-type: none"> <li>• At a minimum, contains a set of work items (typically called Capabilities or Epics) that cover the full breadth of the contract’s technical scope.</li> <li>• Backlog items map to the WBS</li> <li>• Backlog items have size estimates* and acceptance criteria **</li> <li>• Requirements (top level specs, SOW) are mapped to Backlog items to demonstrate the Backlog encompasses the full scope of work</li> </ul>
Time	Ensure the program has a viable IMS that supports the IMP, meets required integrity standards and demonstrates execution realism	<ul style="list-style-type: none"> <li>• Contract Milestones</li> <li>• Program Summary Master Schedule</li> <li>• IMS</li> <li>• Schedule Risk Analysis</li> </ul>	<ul style="list-style-type: none"> <li>• Roadmap</li> </ul>	<ul style="list-style-type: none"> <li>• Roadmap:               <ul style="list-style-type: none"> <li>○ Scope is included at a reasonable level of fidelity (capability/EPIC) and that there is a reasonable ordering of that scope over time.</li> <li>○ Roadmap shows sequencing of scope and alignment to program milestones. Detail should be sufficient to facilitate critical path in the IMS,</li> <li>○ Roadmap includes scope item size estimates</li> <li>○ Roadmap consistent with staffing plan based on Roadmap item size estimates</li> </ul> </li> <li>• IMS baseline is informed by the roadmap at an adequate level to insure proper schedule controls based on the program’s approach to execution (incremental, Flexible, Defined deliverables)</li> <li>• Dependencies in the IMS represent the sequence of activities needed to complete the product.</li> <li>• Discrete IMS tasks represent work scope, not agile cadence “time box events” that occur on a regular cycle (e.g. sprints, iterations, cadence release cycles)</li> </ul>
Budget	Ensure the entire scope of work is included in a budget baseline and that adequate	<ul style="list-style-type: none"> <li>• Budget Logs (CBB)</li> <li>• CAPs</li> <li>• BOEs</li> </ul>	<ul style="list-style-type: none"> <li>• Product Backlog</li> </ul>	Product Backlog: <ul style="list-style-type: none"> <li>• Capabilities include a size estimate* based on assessment of technical size and complexity. The size estimate should be relatable to the</li> </ul>

IBR Project Management Constraints	Areas of Focus	Typical IBR Artifacts	Agile Specific Artifacts or Processes	Attributes of Agile Artifacts or Processes
	management reserve exists			budget value of the corresponding control account. <ul style="list-style-type: none"> <li>• Mapping of capabilities/EPICs/Features in the Backlog to control accounts in the EVMS must exist.</li> </ul>
Resources	Ensure the organization structure is appropriate for the program requirements and the staffing plan is credible. Ensure the program has the appropriate facilities, tools and other infrastructure in place	<ul style="list-style-type: none"> <li>• CAPs by EOC</li> <li>• Org Chart/OBS</li> <li>• RAM</li> <li>• Roles &amp; Responsibilities (RACI)</li> <li>• Staffing Plan</li> </ul>	<ul style="list-style-type: none"> <li>• Agile teams defined</li> <li>• Infrastructure for agile development defined (tools, environments, configurations, etc.) including the Agile management tool</li> </ul>	<ul style="list-style-type: none"> <li>• The program can demonstrate that the organization has the skills necessary to execute the program using agile methods or has a plan for obtaining them.</li> <li>• The program provides an overview of the Agile team collaboration approach (e.g.co-location, facility/communication resources that support agile method efficiencies).</li> <li>• Environments are established to support agile continuous integration and test, if applicable. If not already established, the program can demonstrate it has a plan for establishment.</li> <li>• The OBS is structured to support the way the program intends to manage the work and supports the WBS / Control Account breakout (e.g. Capabilities/Epics map to Control Accounts).</li> </ul>
Quality	Ensure the program has a clear acceptance strategy for customer "sell off" defined. Ensure schedule status is recorded accurately and schedule tasks have clear exit/acceptance criteria	<ul style="list-style-type: none"> <li>• Quality Management Plan</li> <li>• Quality Assurance Plan</li> <li>• Quality Metrics</li> </ul>	<ul style="list-style-type: none"> <li>• Product Backlog</li> </ul>	Product Backlog: <ul style="list-style-type: none"> <li>• Capabilities/Epics have documented acceptance criteria ** based on intended functionality.</li> <li>• All work is documented in the backlog</li> </ul>
Risk	Ensure the program has established a Risk & Opportunity board conducted in accordance with the Risk & Opportunity Management (ROM) Plan	<ul style="list-style-type: none"> <li>• ROM Plan</li> <li>• Risk and Ops Register</li> <li>• Risk Mitigation Plans</li> </ul>	<ul style="list-style-type: none"> <li>• Backlog</li> </ul>	Backlog identifies significant risks and risk mitigation tasks as appropriate

IBR Project Management Constraints	Areas of Focus	Typical IBR Artifacts	Agile Specific Artifacts or Processes	Attributes of Agile Artifacts or Processes
Project Integration	Ensure the program has implemented effective management processes and business rhythms, including PPM/EVM. Ensure the program approach, plans and processes are sufficient to meet program requirements	<ul style="list-style-type: none"> <li>• EVMS documentation</li> <li>• Program Procedures for baseline planning and baseline control</li> <li>• CBB Log</li> <li>• Technical execution documents and processes: Examples (PMP, SW Dev. Plan, SEMP)</li> </ul>	<ul style="list-style-type: none"> <li>• Agile Framework</li> <li>• Backlog to IMS/EVMS mapping</li> <li>• Roadmap</li> </ul>	<ul style="list-style-type: none"> <li>• Agile Framework: Appropriate to the type of program and deliverables desired, that indicates a well thought out plan.               <ul style="list-style-type: none"> <li>○ Framework includes Agile business rhythms, cadences etc.</li> <li>○ Method for estimating “relative sizing” of work (e.g., hours, points) has been defined.</li> <li>○ defines development process (iterative requirements development approach)</li> <li>○ supports the type of scope under development (H/W, S/W)</li> <li>○ describes how the process integrates with other management processes (R&amp;O, PPM/EVM, TPMs)</li> <li>○ If scaling (e.g., SAFe,) Key roles and Agile Release Trains defined</li> </ul> </li> <li>• EVM documentation includes instructions and constructs related to traceability from the product backlog to the IMS &amp; EVMS (schedule ID, WBS ID) and how lower level status information in the agile tool (e.g. stories or features) translates into progress in the IMS and work packages (QBD).</li> <li>• Roadmap informs Rolling Wave Process &amp; Change management</li> </ul>
Customer Relations	Ensure the programs priorities and aligned with the customers priorities	<ul style="list-style-type: none"> <li>• Communication Plan</li> <li>• Joint Management Program and Business Management Review documentation, including agendas &amp; participants</li> <li>• Org Chart that includes customer roles/mapping</li> </ul>	<ul style="list-style-type: none"> <li>• Increment or Release Review agenda and participants</li> </ul>	<p>Communication plan includes:</p> <ul style="list-style-type: none"> <li>• Roles and responsibilities for customer and contractor personnel involved in customer alignment. For example, does customer or contractor fulfill the product owner role?</li> <li>• Customer/Contractor approach for developing and maintaining Product Backlog</li> <li>• Customer participation in planning events such as increment planning and sprint planning</li> <li>• Content, format, analysis method and frequency of Agile measures agreed to with the customer as</li> </ul>

IBR Project Management Constraints	Areas of Focus	Typical IBR Artifacts	Agile Specific Artifacts or Processes	Attributes of Agile Artifacts or Processes
		<ul style="list-style-type: none"> <li>• Feedback (surveys, CPARs)</li> <li>• Business Rhythm Calendar</li> <li>• Program Management Chart Decks</li> <li>• Program Action Item Database</li> </ul>		<p>part of the program business rhythm and customer reviews.</p>

\* Size Estimate: Backlog Items include an estimation of the “size” of each item, compared to other items in the backlog in order to determine relative complexity or time required to allocate to each task. Size Estimates are often not hours or dollars based, but use other methods, like story points or T-Shirt sizing to determine relative sizing.

\*\* Acceptance Criteria: Acceptance Criteria are a set of statements, each with a clear pass/fail result, that specify both functional and non-functional requirements, and are applicable at the Epic, Feature, and Story Level. Acceptance criteria constitute Definition of Done.

## Appendix F – Request for Proposal (RFP) Content

This Appendix addresses Request for Proposal (RFP) content to support an iterative, adaptive and incremental software development approach that “may” include Agile development but is open to other development approaches. Section 4 of SEI Carnegie Mellon’s “RFP Patterns and Techniques for Successful Agile Contracting” dated November 2016 includes some good information on specific considerations for Agile contracting.

This Appendix provides proposed RFP language and specifically addresses Section C (Statement of Work) and Section L (Evaluation Factors), with Section C addressing Software Development only. This information will assist organizations in developing RFPs for software development programs. This appendix will evolve over time. Future modifications may include sections for Systems Engineering and Test as well as a proposed Contract Data Requirements List (CDRL) relative to and Agile-like contracting process.

### Proposed Language

---

#### Statement of Work (Section C)

##### 1.0 Scope

This Statement of Work (SOW) addresses the [Design, Development, Deployment, Operations and Maintenance] for [Program Name] Program. Since all requirements will be evolving throughout the development process, the effort needs to support and maintain an iterative, adaptive and incremental delivery of the software aspects of the system. It also includes, as required, modifying the software system or component after delivery to correct faults; improving performance or other attributes; adapting to a changed environment or maintenance activities focused on anticipated problems; and performing preventative maintenance to support a continuously operating and reliable, stable, and secure application.

Contractors shall form a cohesive team to include the Government and other contractors to foster transparency and information sharing for successful task execution.

##### 3.0 Requirements

##### 3.1 Software Development

The Contractor shall update, execute, and maintain a Software Development process utilizing best practices to perform software requirements analysis, design, implementation, integration, and testing. The contractor’s software development process shall support a collaborative environment for implementing the software aspects of the system. Software deliveries shall be iterative, adaptive and incremental, allowing for the adaption of the emerging implementation of the system for [Program Name] Program. The Contractor’s process shall provide the ability to identify, contain, and remove defects as early as possible in the software development process by providing near real-time access to its Software Development Environment (SDE), development documentation, and any other relevant data. Where practicable, automation shall be utilized to gain development efficiencies in the software development process. The contractor’s SW development process, procedures and tools shall be documented in a Software Development Plan (SDP) (DI-IPSC-81427B).

### 3.1.1 Software Deployment

The Contractor shall use the written procedures, standards, and methodology documented in the SDP, for software design practices to ensure the quality and maintainability of all systems. The Contractor shall obtain Government approval of proposed software implementation as part of the incremental planning of the software deployment. The Contractor shall define and deliver the approved software for each increment and shall report functionality completed, software deficiencies, and update the definition of remaining work to be planned for the next increment. Software documentation, including design and operations documentation, shall be updated according to the processes described in the SDP.

## Evaluation Factors (Section L) – Proposed

### Element 1: Software Development Approach

The Offeror shall describe its software development approach and illustrate its intended method for accomplishing the software development requirements defined in Section C. The Offeror shall specifically demonstrate its software development capabilities and resources that will be used to support the development and testing efforts necessary for the development of [PROGRAM] capabilities and interfaces. Specifically, the Offeror shall:

- a. Cite the development technique(s) being employed, and describe your approach.
- b. Describe your approach for iterative planning.
- c. Describe how the product will be demonstrated iteratively to the customer and key stakeholders.
- d. Describe your process for Open Architecture (OA), Commonality of Hardware, Software/Firmware and Interfaces, Cybersecurity and prospective Critical Program Information (CPI) with current protection rationale.
- e. Describe your Configuration Management process.
- f. Describe your approach to artifact delivery; when documents such as the SRS, SDD, Software Test Plan and System Integration Plan will be available.
- g. Describe how the software development effort will be synchronized and coordinated with systems engineering activities and reviews.
- h. List and describe the software metrics to be used.
- i. Describe how software development activities will be coordinated with the Integration and Test (I&T) team, and how it will be assured that the I&T team can keep up with testing all the software releases.

Offerors shall submit an SDP rationale which describes why their specific approach is appropriate for the system to be procured, developed or maintained and how their proposed processes are equivalent to those articulated by CMMI® capability [level 3]. The SDP rationale is subject to the technical proposal page limitation of the solicitation and shall not exceed [5 pages].

The Offeror shall describe its approach to providing the Government early insight into the development process by providing access to its Software Development Environment, development documentation, and any other relevant data throughout the development process. The Offeror shall describe its reuse philosophy and its approach to minimizing inter-component dependency. The Offeror shall describe why its software development approach is appropriate for [Program Name].

The Offeror shall provide a plan for long term software sustainment and maintenance and the reduction of software life-cycle maintenance costs. The Offeror shall provide historical metrics as evidence of software reliability improvements in terms of build stability prior to delivery on previous projects of similar scope.

The Offeror shall submit a description of previous relevant experience, within the past [36 months] in developing software of the similar size and complexity as that required under the statement of work. As a part of this description, the Offeror shall describe the extent to which personnel who contributed to these previous efforts will be supporting any resultant contract.

The Offeror shall describe any previous relevant Capability Maturity Model Integration (CMMI)<sup>®</sup> or equivalent model-based process maturity appraisals performed within the past [36 months]. As a part of this description, Offerors shall identify the organizational entity and location where the appraisal was performed, the type of evaluation, the organization performing the evaluation, and the level earned. This description shall not exceed two (2) pages.

## Appendix G – Using Agile Metrics to Support Analysis and Forecasting

Agile metrics can be very powerful when used to supplement traditional communication channels between contractor and customer. Within industry, there are a myriad of metrics available to contractors for implementation and incorporation into their management toolkits.

The challenging part can be scaling down metrics used by a program to a small subset that are most beneficial to the specific circumstances and complexities of that program. The use of too many metrics can create a situation of "paralysis through analysis", where too many data points potentially provide too many conflicting points of view and become burdensome to maintain accurately and in a timely manner.

A suggestion for determining the most appropriate metrics is to view the metrics through higher level categories, e.g., quality metrics, velocity metrics, etc. and to select the most pertinent one or two metrics from each category for your program. It is also important that metrics be as direct and easy to understand as possible. Once the correct mix of metrics have been selected, the next step to aiding communication is to allow for easy access to the data. This may occur through providing customers direct access into Agile Management tools (VersionOne, Rally, Jira, etc.), reoccurring briefings, or a shared portal where Agile Metrics are maintained, e.g., dashboard setting.

In summary, the keys to using metrics to aid communication are:

1. Select a small subset of pertinent metrics covering categories most important to the customer.
2. Set up a clear path for the customer to view and utilize the metrics.

A core tenant of Agile is "transparency" and the use of agile metrics, whether reflecting a favorable or unfavorable message, is important to developing a trusting relationship between contractor and customer.

When implemented correctly, the use of agile metrics should provide management and the customer a real time view into near term performance, potential issues and/or opportunities. The goal of these metrics is to ensure that the tasks planned in the current sprint or release remain on track from a cost, schedule, and quality perspective. Over time, the maturity or optimization of agile implementations can be viewed through cost, quality and productivity improvements. They also allow insight into return on investment (ROI) for customers and trends for contractors to make course corrections to their optimization efforts.

The following section examines several high-level categories of metrics and methods for exploiting them.

### 1. Agile Metrics Usage in Determining Schedule Risk

There are numerous metrics that can be used to convey schedule risk. These include Iteration status charts, burn-down (or burn-up) charts or progress reports.

Iteration (or Sprint) status charts<sup>9</sup> are a simple way to communicate changes from one iteration to the next. They allow stakeholders to see which tasks (user stories) have been completed, deleted, added or moved from iteration to iteration. Continual changes to the iteration status chart from reporting period to reporting period could indicate volatility and therefore, may indicate schedule risk. They also could simply represent changes in the iteration due to business value decisions. Either way, the change could be identified and analyzed to determine if it represents risk to the program.




Figure G-1: Iteration Status Charts

Burn-down and burn-up charts are simple line charts that plot the work planned versus the work completed. These can be used at the Portfolio/Epic, Program/Feature, or Team/Iteration level. A burn-down chart is a single line that displays how much work is remaining for the epic, feature or iteration. A burn-up chart is represented with two lines and displays how much work has been completed against that which was planned. As you can see in the charts below, the end result is the same, but the burn-up chart contains more detail. When a burn-down chart flat lines, there is no additional information provided and it is impossible to tell from the chart what is causing the lack of progress. Using the burn-up chart, you can see that work was added during that time period, progress does not flat line and the team was still able to complete all of the work.

<sup>9</sup> Nee, N. Y. (2010). Metrics for agile projects: finding the right tools for the job. Paper presented at PMI® Global Congress 2010—North America, Washington, DC. Newtown Square, PA: Project Management Institute.




Figure G-2: Burn down and up charts

Progress Reports<sup>10</sup> can be used to provide a quick view of the status of all epics and enablers in a portfolio or all features and enablers in a release (program increment). For Epics, the report might look like this:




Figure G-3: Epic Progress Report

Epic names are indicated along the X axis, blue for program planned and red for enabler epics, while story points are indicated along the Y axis. The bar length indicates the total number of story points for that epic with dark green indicating completed and light green indicating “in

<sup>10</sup> Scaled Agile Framework (SAFe)– Epic Progress Measure. Accessed Oct 10, 2018 from: <https://www.scaledagileframework.com/metrics/#PF4>

progress”. The red vertical line shows the initial epic estimates with the numbers representing current estimate versus initial estimate. From this report, it is easy to see the progress on each epic and also, where there is growth in story points. This information can be used to indicate progress and determine if all epics will complete within the allotted schedule.

For Features, the report might look like this:




Figure G-4: Feature Progress Report

Feature names are indicated along the X axis and the bars represent planned stories versus actual stories complete. Green represents that the feature is on track and red represents that it is behind schedule. This information can be used to indicate progress and determine if all features will be completed within the allotted schedule.

While the metrics outlined in the paragraphs above are valuable in determining progress and identifying schedule risks, they are typically collected on a weekly or monthly basis. This, however, might not be frequently enough to keep the program on track. Daily stand up meetings are a reliable source of determining temporal risk within a program on a day to day basis. Each day, team members identify issues, risks or roadblocks to completing the work planned in a sprint. These problems can then be brought to program management’s attention and mitigated real time. Daily stand up meetings can also be used to refine plans or even swap tasks between team members to create better work flow and speed execution.

**2. Agile Metrics Usage in Determining Structural Risk**

Several different metrics can be helpful in conveying structural (or technical / financial) risks, depending on the nature of the program and the natural of the technical challenge. It is recommended to consider several different metrics, and then choose the ones which help provide the best insight to the program. Additionally, the metrics chosen should be re-evaluated regularly to help ensure that they continue to provide the most effective and valuable insight. Some of the common metrics include:

### 3. Technical and Process Metrics

#### 3.1 Technical Debt

Technical Debt is a concept that results from either deferring software defects or deferring development work by implementing short-term solutions (workarounds) which will eventually need to be re-worked into long-term solutions. This can be tracked by number of issues or defects; oftentimes an estimated dollar value is placed on the future work allowing technical debt to be tracked in terms of cost. However it is measured, larger amounts of technical debt often correspond to structural program risks such as unexpected re-work, late-stage defect identification, and more difficulty in implementing new functionality. Technical debt often requires teams to plan for re-engineering and product enhancement as future backlog items, which may require deferment of other more user-requested functionality until the technical debt is overcome.




Figure G-5: Technical Debt

#### 3.2 Test Coverage

Test coverage measures how much of the software code is exercised by test procedures during testing events. This is different than having full test coverage (traceability) for the system requirements, and often requires some form of specialized tools or instrumentation of the code to measure. Identifying how much code does not have coverage can be used to identify areas in which defects may be found late in the development process requiring unexpected re-work.




Figure G-6: Test Coverage

#### 3.3 Code Churn

Code churn measures how often parts of the software code have needed to be re-worked by the team. This is often due to the initial implementation not meeting requirements, not performing as expected, having defects needing to be fixed, or not integrating with a larger system as expected. Identifying teams or parts of the code which have high amounts of churn is useful in

identifying parts of the system which are more technically complex and may be more likely to result in issues being identified late in the development process.

**3.4 Test Case Pass Rate**

Test Case Pass Rate measures the outcome of test cases as they are executed as a part of each increment. A pass rate which stays low could indicate challenges in progressing with technical development and a likely risk to total cost and schedule. Sudden drops in the pass rate can also be a leading indicator that the technical complexity has increased and there is a risk that unexpected problems or defects could be found late in development.




Figure G-7: Test Pass Rate

**4. Estimate Accuracy (Variance)**

Story points are usually only re-estimated when the team discovers that there is something significant in the size of effort (either bigger or smaller) that they didn't realize before. Having significant growth in story points across increments could be indicative of the team not fully understanding the work, and the risk that future work could be more complicated than planned.




Figure G-8: Story Point Estimates

## Appendix H – Agile/EV Guide Contributors

This guide was compiled by the NDIA Integrated Program Management Division (IPMD) Agile/Earned Value Working Group. The NDIA IPMD thanks the authors and reviewers from across industry and Government who contributed to the generation and improvement of this publication. Their diverse perspectives, expertise, and insight defined proven practices of Agile on Earned Value managed programs.

## Appendix I – Unique Acronyms Used in this Guide

The abbreviations and acronyms listed below are unique to this guide and not found in other NDIA IPMD Guides. Please refer to the NDIA Master Definitions List linked below for common acronyms used across the IPMD industry guides.

[NDIA Master Definitions List for IPMD Guides](#)

ACO	Administrative Contracting Officer
AIS	Automated Information System
AKA	Also Known As
CCB	Configuration Control Board
CFA	Cognizant Federal Agency
COR	Contracting Officer Representative
CSCI	Computer Software Configuration Item
DoDI	Department of Defense Instruction
DRB	Defect Review Board
ERB	Engineering Review Board
GUI	Graphical User Interface
HW	Hardware
PBA	Performance Based Acquisition
PC	Percent Complete
PCO	Procurement Contracting Officer
PWS	Performance Work Statement
QBD	Quantifiable Backup Data
SAFe®	Scaled Agile Framework®
SP	Story Points
SW	Software